

In this section the Developer will learn...

• About the functionality of the Property Palette in Forms 10g



Every Object in a Form has attributes, these attributes can be amended either programmatically or by accessing the Property Palette.

This section deals with the usage of the Palette and the various options available when editing with it.

Individual attributes of Forms Objects will be discussed later ...



The Property Palette for an item can be edited by selecting the item, right clicking and selecting the option from the list or selecting from the menu ...



In most circumstances double clicking on the item itself will bring the Property Palette up, the notable exceptions to this are Canvases and Menu Items.



Each Objects's Property Palette will have different attributes but all have the same basic design of Category Headings which expand to

groupings of node values

Property Palette					
「喧憺」+× 聶戸 ●:	Find:	÷ 34			
Item: C65_MEMBER_NAME					
🔳 General		<u> </u>			
Name	C65_MEMBER_NAME				
Item Type	Text Item				
 Subclass Information 					
 Comments 					
 Help Book Topic 					
= Functional					
 Enabled 	Yes				
 Justification 	Start				
 Implementation Class 					
∘ Multi-Line	No				
 Wrap Style 	Word				
 Case Restriction 	Mixed				
 Conceal Data 	No				
 Keep Cursor Position 	No				
 Automatic Skip 	No				
Popup Menu	<null></null>				
Navigation					
Keyboard Navigable	Yes				
Previous Navigation Item	<null></null>				
• Next Navigation Item	<null></null>				
= Data					
∘ Data Type	Char				
Data Length Semantics	BYTE				
 Maximum Length 	30				
 Initial Value 					
Required	Yes				
 Format Mask 					
Lowest Allowed Value					
• Highest Allowed Value					
Copy Value from Item					
 Synchronize with Item 	<null></null>	-			
4		Þ			
General					

©Seer Computing Ltd



The Property Palette is colour and symbol coded

Each Property section is dark blue, each attribute is a lighter blue within it, the current selection will be coloured yellow, multiple attributes can be selected at a time, this is principally for the copying of Properties which is discussed later ...

🗖 Data	
∘ Data Type	Char
Data Length Semantics	BYTE
 Maximum Length 	30
 Initial Value 	
🔍 Required	Yes
 Format Mask 	
 Lowest Allowed Value 	



Alongside each node is a symbol, either a square or a circle...

A circle denotes that the item is unchanged and is still default and a square denotes that the Developer has amended the item.

Even if the Developer has returned the item to its original value the square symbol will remain unless the inherit option is used.

Certain nodes in the property palette can be expanded to reveal more data and others will have pull down menus for pre-defined values.



More than one object can have their properties edited at the same time ... this is particularly useful when a lot of items need the same values in certain nodes, also it can be used to display differences between two items... differences are denoted by the palette marking the node with a question mark and changing the different values to asterisks ...

🗏 General	
?Name	****
Item Type	Text Item
 Subclass Information 	
 Comments 	
∘ Help Book Topic	



Each attribute in the Property Palette will have a hint which will display at the bottom, this can be invoked by selecting the attribute

= General		▲
?Name	****	
Item Type	Text Item	
 Subclass Information 		•
Type of item.		

. . .



Along the top of the Palette are a series of buttons which can help during development ...





Copy/Paste Properties - Properties can be cut and pasted from one node to another, these can be nodes for entirely different item types but the nodes must be the same. Use the shift key to select more than one node.

Add/Delete Properties - These options are only enabled when in the Property Palette for Property Class items. Usage of this option will be discussed in the Property Classes Section.

Property Class - Creates a new Property Class within the Palette, from selected nodes.

Inherit - This restores the original default value for the node.



Intersection/Union - Used when items of different types are selected, Intersection will display only those node the items have in common, Union displays all nodes.

Pin - Stops synchronisation between Palette and Object Navigator, an example of this is given next ...



The Developer may wish to compare two or more Property Palettes at once, this can be achieved by taking the following steps ...

Opening the first Property Palette and pressing on the 'pin' button, this will freeze this Palette, then the Developer may open another property palette by clicking on another object ...

Property Palette		зI	📲 Property Palette		
🖷 🛍 🕂 × 🛛 🖺 🖉 🔗 Find: 💦 🌾 🌾				9 Find: 🥻 🎾	
Item: PRO_PRODUCT_NUMBER			Item: PRO_GROUP_NUMBER		
🔳 General]	🖃 General	·	
Name	PRO_PRODUCT_NUMBER		Name	PRO_GROUP_NUMBER	
Item Type	Text Item		Item Type	Text Item	
 Subclass Information 			 Subclass Information 		
 Comments 			 Comments 		
 Help Book Topic 			∘ Help Book Topic		
E Functional			= Functional		
• Enabled	Yes		◦ Enabled	Yes	
 Justification 	Start		 Justification 	Start	

©Seer Computing Ltd