

Java 1.7 Swing Index

Section	Title	Page
One	Introduction to Java	2
	– Usage of Java	3
	– Structure of Java	4
	– Flexibility of Java Programming	5
	– Swing and AWT in Java	6
Two	Using Java in DOS	9
	– Using the DOS window	10
	– DOS Operating System Commands	11
	– Compiling and Executing Java Programs in DOS	13
Three	Dialog Boxes	20
	– Using Dialog Boxes	21
	– Using Message Dialogs	23
	– Using ImageIcons with Message Dialogs	28
	– Using Confirm Dialogs	31
	– Using Input Dialogs	36
	– Using Input Dialogs with Icons and Lists	38
	– Using Option Dialogs	40
	– Making a Beep in Java	46
	– <i>Exercise One</i>	47
	Four	Dimensions
– The Dimension Datatype		53
– Examples of Using Dimensions		54
– Methods for Dimensions		55
– <code>getScreenSize()</code>		57
Five	JFrame	58
	– Using JFrame	59
	– <code>setDefaultCloseOperation()</code>	60
	– <code>setVisible()</code>	61
	– Exiting JFrames	62
	– <code>setResizable()</code>	63
	– <code>setLocation()</code>	64
	– <code>setBounds()</code>	66
	– Centering JFrames	67
	– JFrame Example	68
	– <code>setLocationRelativeTo()</code> for Centring	69
	– <code>dispose()</code>	70
	– Using <code>setIconImage()</code>	71
	– Using Constructors in Java Swing	72
	– <code>serialVersionUID</code>	73
– Creating a Constructor Method	74	
– JFrame Constructor	76	
– <code>@SuppressWarnings</code>	77	
– <i>Exercise Two</i>	81	
Six	JComponent	83
	– Introduction	84
	– Methods to Change Appearance	85
	– Methods to Process Components	89

Java 1.7 Swing Index

Section	Title	Page
Seven	Colour and Fonts	93
	– Using Color	94
	– Using Color with JFrame	96
	– Using Font	97
Eight	JLabel	103
	– Using JLabel	104
	– getContentPane().add()	105
	– Creating a message in JLabel	107
	– Using HTML with JLabel	108
	– Changing the position in a JLabel	111
	– Adding an Icon to a JLabel	113
	– Changing a JLabel's Colour and Font	115
	– Icon only JLabel	117
	– setVerticalAlignment()	118
	– pack()	120
	– <i>Exercise Three</i>	121
Nine	Borders	124
	– BorderFactory	125
	– createEmptyBorder()	128
	– createLineBorder()	129
	– createRaisedBevelBorder()	131
	– createRaisedSoftBevelBorder()	132
	– createBevelBorder()	133
	– createDashedBorder()	135
	– createStrokeBorder()	138
	– createEtchedBorder()	142
	– createMatteBorder()	144
	– createTitledBorder()	146
	– Nested createTitledBorder()	156
	– Fonts with createTitledBorder()	157
	– createCompoundBorder()	158
	– <i>Exercise Four</i>	161
Ten	Mid-Level Containers	165
	– Containers	166
	– JPanels	168
	– JScrollPanels	170
	– Scroll Bar policy	173
	– <i>Exercise Five</i>	175
Eleven	Absolute Layouts	177
	– Introduction	178
	– setBounds()	179
	– <i>Exercise Six</i>	183
Twelve	Layouts	184
	– JPanel and Layouts	185
	– FlowLayout	187
	– Some FlowLayout Methods	191
	– GridLayout	193
	– Some GridLayout Methods	198

Java 1.7 Swing Index

Section	Title	Page
	– BorderLayout	199
	– Defining BorderLayouts since Java 1.4	204
	– Some BorderLayout Methods	206
	– <i>Exercise Seven</i>	207
	– BoxLayout	210
	– SpringLayout	213
	– putConstraint()	217
Thirteen	Box	221
	– Introduction	222
	– createRigidArea()	224
	– createVerticalStrut()	225
	– createHorizontalStrut()	226
	– createGlue()	227
	– createHorizontalGlue() / createVerticalGlue()	229
	– Using Box.Filler	230
	– Using Box as a Container	233
	– <i>Exercise Eight</i>	235
Fourteen	JButton	237
	– Introduction	238
	– Example	239
	– Using Insets to re-size JButtons	241
	– Using Icons with JButtons	243
	– Using AbstractButton with JButtons	244
	– Using SwingConstants with JButtons	248
	– Some Methods for JButtons	249
	– Using HTML with JButton	252
	– Advanced Icons with JButtons	253
	– Using Rollover with JButtons	255
	– JButtons and ToolTips	256
	– BasicArrowButton	257
Fifteen	Event Handling with Listeners	259
	– Listening for Events	260
Sixteen	Private Event Listeners for JButtons	265
	– Introduction	266
	– java.awt.event.*	267
	– Example of Private Listener	268
	– ActionEvent	270
	– Recording the Event	271
	– Which Component fired the Listener	272
	– Using getActionCommand()	273
	– getValueIsAdjusting()	274
	– getWhen()	275
	– <i>Exercise Nine</i>	276
Seventeen	Public Event Listeners	278
	– Introduction	279
	– Example of Public Listener	280

Java 1.7 Swing Index

Section	Title	Page
Eighteen	Implemented Event Listeners	282
	– Introduction	283
	– Example of Implemented Listener	284
Nineteen	Listener Events	286
	– Introduction	287
	– Multiple Events with Listeners	288
	– <i>Exercise Ten</i>	289
Twenty	JTextComponent	291
	– Methods in JTextComponent	292
Twenty One	Input Components	293
	– Introduction	294
	– JTextField	295
	– JTextField Example	296
	– JTextField Initialisation	298
	– Other Methods for JTextField	299
	– Processing JTextField using getText()	301
	– Listeners for JTextField	302
	– FocusListener with JTextField	303
	– ActionListener with JTextField	305
	– JPasswordField	308
	– JPasswordField Example	309
	– setEchoChar()	311
	– JTextArea	312
	– JTextArea Example	313
	– JTextArea and setFocusable()	315
	– Wrapping text in JTextArea	317
	– Listeners with JTextArea	320
	– Some methods for JTextArea	321
	– JFormattedTextField	324
	– Initialising JFormattedTextField	325
	– Populating JFormattedTextField	328
	– Using setValue()	330
	– Listeners with JFormattedTextField	331
	– Using MaskFormatter	332
	– Using setFocusLostBehavior	334
	– requestFocusInWindow()	336
	– <i>Exercise Eleven</i>	337
Twenty Two	GroupLayout	339
	– Introduction	340
	– Sequential and Parallel Groups	341
	– addGap()	344
	– setAutoCreateGaps()	345
	– Changing Direction of Components	346
	– Chained Invocation or Method Chaining	347
	– Adding further Groups with addGroup()	348
	– Controlling Resizing with addComponent()	353
	– Using LinkSize to standardise sizing	356
	– Alignment	357

Java 1.7 Swing Index

Section	Title	Page
Twenty Three	Selection Components	358
	– JComboBox	359
	– Using addItem() with JComboBox	362
	– getSelectedItem() with JComboBox	363
	– ComboBoxModel with JComboBox	364
	– Some methods for JComboBox	365
	– ItemListener with JComboBox	367
	– JCheckBox	368
	– JCheckBox Example	369
	– Initialising JCheckBox	370
	– Using HTML with JCheckBox	371
	– Images with JCheckBox	372
	– ItemListener with JCheckBox	373
	– JToggleButton	375
	– Initialising JToggleButton	376
	– Listeners with JToggleButtons	377
	– JRadioButton	378
	– JRadioButton Example	380
	– Initialising JRadionButtons	382
	– Icons with JRadioButtons	383
	– ActionListener with JRadioButton	385
	– Using setActionCommand()	386
	– setActionCommand() Example	387
	– Using Enumeration	389
	– Using AbstractButton	392
	– <i>Exercise Twelve</i>	393
	– JList	398
	– JList Example	399
	– setLayoutOrientation() with JList	401
	– setSelectionMode() with JList	403
	– setPrototypeCellValue() with JList	405
	– setFixedCellWidth with JList	406
	– DefaultListModel with JList	407
	– DefaultListModel Example	408
	– Icons with DefaultListModels	410
	– Using Vectors	412
	– Methods for Vectors	413
	– getSelectedIndices() in JList	418
	– JList Listeners	419
	– ListSelectionListener	420
	– Using getSelectedValuesList()	421
	– ListDataListener	422
	– ListDataListener Example	423
	– <i>Exercise Thirteen</i>	425
	– JSpinner	428
	– SpinnerNumberModel	429
	– SpinnerNumberModel Example	430
	– Methods for SpinnerNumberModel	431

Java 1.7 Swing Index

Section	Title	Page
	- Change Orientation of JSpinner	432
	- ChangeListener with JSpinner	433
	- SpinnerListModel	434
	- SpinnerListModel Example	435
	- setPreferredSize()	436
	- ArrayLists with SpinnerListModel	438
	- SpinnerDateModel	439
	- SpinnerDateModel Example	441
	- DateEditor with SpinnerDateModel	443
	- JSlider	448
	- Initialising JSlider	449
	- ChangeListener with JSlider	451
	- Placing Numbers on the JSlider	452
	- Placing ticking on the JSlider	453
	- setMinorTickSpacing() with JSlider	454
	- Customising the JSlider ticks	455
	- Some more JSlider methods	456
	- JSeparator	458
	- JSeparator Example	459
	- Using Box with JSeparator Example	461
	- <i>Exercise Fourteen</i>	463
Twenty Four	JMenus and JPopupMenu	466
	- Introduction	467
	- JMenuBar	468
	- JMenuBar Example	470
	- JMenu	471
	- JMenu Example	472
	- JMenuBar and JTextField	473
	- Mnemonic with JMenus	474
	- MenuListener	475
	- MenuListener Example	476
	- JMenuItem	478
	- JMenuItem Example	479
	- JMenuItemItems with Images	480
	- Mnemonic with JMenuItemItems	481
	- Accelerator with JMenuItemItems	482
	- Listeners with JMenuItemItems	484
	- JMenuItem and MenuKeyListener	485
	- Sub-Menus in JMenus	486
	- JCheckBoxMenuItemItems in JMenus	487
	- JCheckBoxMenuItemItems with Images	489
	- JCheckBoxMenuItemItems with ItemListener	490
	- JRadioButtonMenuItem in JMenus	491
	- JRadioButtonMenuItem Example	492
	- JRadioButtonMenuItem with JMenu Example	493
	- JRadioButtonMenuItem with Images	494
	- JRadioButtonMenuItem and Listeners	495
	- Using getActionCommand() with JRadioButton	496

Java 1.7 Swing Index

Section	Title	Page
	– Using Enumeration	497
	– JPopupMenu	498
	– JPopupMenu with MouseListener	499
	– MouseListener Examples	500
	– Event.isPopupTrigger()	502
	– PopupMenuListener	503
	– JToolBar	504
	– JToolBar Example	506
	– JToolBar and setFloatable()	508
	– JToolBar and Listeners	509
	– JToolBar and Icons	510
	– JToolBar Orientation	511
	– JToolBar with JTextFields	512
	– addSeparator() with JToolBar	514
	– <i>Exercise Fifteen</i>	515
Twenty Five	Applets	518
	– Introduction to using Applets	519
	– Embedding Java in HTML	520
	– Using Appletviewer in DOS	521
	– Using the <applet> tag in HTML	523
	– Using showStatus() (Short status strings)	525
	– Passing Parameters to the Applet	526
	– Using getParameter() with JApplet	527
	– Reading Parameters in the Applet	529
	– Using the <object> tag in HTML	530
	– Appletviewer Options	531
	– Converting a basic Application to an Applet	532
	– InvocationTargetException and Images	538
	– Using URL with Images	539
	– Dialog Boxes converted to JApplet	540
	– JInternalFrames (with LAF) converted to JApplet	541
	– JMenus converted to JApplet	542
	– JTrees converted to JApplet	543
	– JColorChooser converted to JApplet	544
	– Choosing Applet or Application in Eclipse	545
	– Using start(), stop(), paint(), init() and destroy()	549
	– Accessing System Properties in Applets	552
	– <i>Exercise Sixteen</i>	554
Twenty Six	Look and Feel (LAF)	557
	– Using setLookandFeel()	558
	– Standard LAF Styles	560
	– javax.swing.plaf.metal.MetalLookAndFeel	562
	– javax.swing.plaf.nimbus.NimbusLookAndFeel	563
	– com.sun.java.swing.plaf.motif.MotifLookAndFeel	564
	– com.sun.java.swing.plaf.windows.WindowsLookAndFeel	565
	– com.sun.java.swing.plaf.windows.WindowsClassicLookAndFeel	566
	– Defaulting the LAF permanently in Java	567
	– Using Third Party LAFs	568

Java 1.7 Swing Index

Section	Title	Page
	- Installing the LAF in the Operating System	569
	- Identifying the Look and Feel Class in the Jar file	570
	- Using the third party LAF in Java	571
	- <i>Exercise Seventeen</i>	572
Twenty Seven	GridBagLayouts	573
	- Introduction	574
	- GridBagConstraints	575
	- GridBagConstraints Example	578
	- gridx and gridy	583
	- gridx and gridy example	584
	- gridwidth and gridheight	587
	- gridwidth and gridheight example	588
	- GridBagConstraints.REMAINDER	591
	- fill	592
	- fill example	593
	- anchor	594
	- anchor examples	595
	- insets	597
	- insets example	598
	- ipadx and ipady	599
	- ipadx and ipady example	600
	- weightx and weighty	601
	- Final example	605
Twenty Eight	JTable	611
	- Introduction	612
	- JTable Example	613
	- Default Settings	616
	- setPreferredSizeViewPortSize()	617
	- java.lang.ArrayIndexOutOfBoundsException	618
	- Problems with the TableColumnModel	619
	- Adding to a JPanel	620
	- Using DefaultTableModel()	621
	- Using addColumn()	622
	- setAutoCreateColumnsFromModel()	624
	- Changing the Width of Columns	625
	- setResizable()	627
	- Some Methods for JTable	628
	- Moving Columns Programmatically	629
	- Moving Rows Programmatically	630
	- Setting the Selection Mode	631
	- isCellEditable()	634
	- Accessing Cells	636
	- Determining the Current Cell	637
	- ListSelectionListener	638
	- ListSelectionListener Example	639
	- TableModelListener	643
	- TableModelListener Example	645
	- <i>Exercise Eighteen</i>	648

Java 1.7 Swing Index

Section	Title	Page
Twenty Nine	Mouse Double Click	651
	– Introduction	652
	– Double Click Example	653
Thirty	JTree	655
	– Introduction	656
	– JTree Example	657
	– Populating a JTree (Top to Bottom)	659
	– Expand()	662
	– Populating a JTree (Bottom to Top)	663
	– Populating a JTree with more levels	664
	– TreeExpansionListener	666
	– getLastSelectedPathComponent()	667
	– TreeSelectionListener	668
	– Customising the JTree	669
Thirty One	CardLayouts	671
	– Introduction	672
	– CardLayout Example	673
	– <i>Exercise Nineteen</i>	677
Thirty Two	More Containers	682
	– Introduction	683
	– JSplitPane	684
	– setDividerLocation() with JSplitPane	688
	– Using setResizeWeight with JSplitPane	689
	– JSplitPanes within JSplitPanes	690
	– JTabbedPane	692
	– JTabbedPane Example	694
	– Using addTab() with JTabbedPane	696
	– Inserting Tabs into a JTabbedPane	699
	– Removing Tabs in JTabbedPane	700
	– Positioning the Tabs	701
	– setTabLayoutPolicy for JTabbedPane	704
	– setMnemonic() with Tabs	706
	– Some Methods for JTabbedPane	707
	– ChangeListener with JTabbedPane	711
Thirty Three	More Frames	713
	– JInternalFrame	714
	– Using LAF with JInternalFrame	716
	– JInternalFrame Behaviour	717
	– Some JInternalFrame Methods	720
	– Adding Components to JInternalFrame	721
	– setJMenuBar() for JInternalFrame	722
	– InternalFrameListener	723
	– isVisible() with JInternalFrame	725
	– JLayeredPane	726
	– JLayeredPane Example	730
	– Layouts in JLayeredPane	732
	– More methods for JLayeredPane	733
	– JDesktopPane	736

Java 1.7 Swing Index

Section	Title	Page
	– showInternalMessageDialog	737
	– showInternalConfirmDialog	740
	– <i>Exercise Twenty</i>	745
Thirty Four	JWindow	747
	– Using JWindow	748
Thirty Five	Swing Timers and Progress Bars	750
	– Introduction	751
	– Methods for Swing Timers	754
	– Timers and Coalesce	756
	– JProgressBar	757
	– JProgressBar Example	758
	– JProgressBar Methods	760
	– Displaying text in the JProgressBar	761
	– JProgressBar Orientation	763
	– JProgressBar and ChangeListener	764
	– Using Threads to create a Splash screen	765
	– Cursors	767
	– Scope of Cursors	770
	– Creating a Custom Cursor	771
Thirty Six	System Tray	772
	– Introduction	773
	– System Tray Example	775
Thirty Seven	Java Built-in Choosers	778
	– JColorChooser	779
	– ChangeListener	785
	– setPreviewPanel()	788
	– Using setColor()	789
	– Using AbstractColorChooserPanel	790
	– JFileChooser	792
	– setFileSelectionMode()	797
	– setControlButtonsAreShown()	799
	– FileFilter	800
	– setAcceptAllFileFilterUsed()	802
	– addChoosableFileFilter	803
	– Some Methods for JFileChooser	804
	– ActionListener with JFileChooser	805
	– <i>Exercise Twenty One</i>	808