

## PLSQL 10g Index

<b>One</b>	<b>PLSQL Introduction</b>	2
	– Procedural Language for SQL	3
<b>Two</b>	<b>PLSQL Structure</b>	5
	– Basic Structure of PLSQL	6
	– The Declaration Section in PLSQL	7
	– Local Variables in PLSQL	8
	– Naming Local Variables in PLSQL	10
	– Quoted Identifier Variables	12
	– Variable Datatypes (varchar2)	16
	– Variable Datatypes (numbers)	17
	– Variable Datatypes (number)	18
	– Variable Datatypes (decimal)	21
	– Variable Datatypes (integer)	22
	– Variable Datatypes (pls_integer)	23
	– Variable Datatypes (binary_integer)	24
	– Variable Datatypes (natural)	25
	– Variable Datatypes (naturaln)	26
	– Variable Datatypes (positive)	27
	– Variable Datatypes (positiven)	28
	– Variable Datatypes (signtype)	29
	– Variable Datatypes (boolean)	30
	– Variable Datatypes - Constants	32
	– Running PLSQL in SQL*Plus	34
	– Compiling PLSQL in SQL*Plus	36
	– Common Compilation Problems	39
	– Commenting PLSQL	41
	– Documenting PLSQL	43
	– <i>Exercise One</i>	44
<b>Three</b>	<b>Performing Simple DML in PLSQL</b>	46
	– Introduction	47
	– Using Local Variables	48
	– Declaring Variables Using %Type	51
	– Using Substitution Values in PLSQL	55
	– <i>Exercise Two</i>	58
<b>Four</b>	<b>Performing Conditional Statements in PLSQL</b>	60
	– If .. Then Statements	61
	– If .. Then Else Statements	64
	– If .. Then Elself Statements	66
	– Combining Tests	67
	– Nesting Conditions	68
	– Boolean Conditions	69
<b>Five</b>	<b>Communicating from PLSQL</b>	70
	– Messaging Via PLSQL	71
	– <i>Exercise Three</i>	76
<b>Six</b>	<b>Exception Handling</b>	80
	– Introduction	81
	– The When Clause	84
	– The When Others Clause	87
	– Raise_Application_Error	89
	– Oracle Defined Exceptions	93
	– Access_into_Null (ORA-06530)	94
	– Case_Not_Found (ORA-06592 )	96
	– Collection_Is_Null (ORA-06531)	97
	– Cursor_Already_Open (ORA-06511)	99
	– Dup_Val_On_Index (ORA-00001)	100
	– Invalid_Cursor (ORA-01001)	101
	– Invalid_Number (ORA-01722)	102
	– Login_Denied (ORA-01017)	103

## PLSQL 10g Index

	- No_Data_Found (ORA-01403)	105
	- Not_Logged_On (ORA-01012)	106
	- Program_Error (ORA-06501)	107
	- Rowtype_Mismatch (ORA-06504)	108
	- Self_is_Null (ORA-30625)	110
	- Storage_Error (ORA-06500)	113
	- Subscript_Beyond_Count (ORA-06533)	114
	- Subscript_outside_limit (ORA-06532)	115
	- Sys_Invalid_Rowid (ORA-01410)	117
	- Timeout_On_Resource (ORA-00051)	118
	- Too_Many_Rows (ORA-01422)	119
	- Value_Error (ORA-06502)	120
	- Zero_Divide (ORA-01476)	121
	- Raising User Defined Exceptions	122
	- Pragma Exceptions in PLSQL	125
	- Grouping Exceptions in PLSQL	129
	- Alternative Way to Handle SQL Errors in PLSQL	130
	- Handling SQL Errors in PLSQL	131
	- Advanced SQLerrm	133
	- <i>Exercise Four</i>	134
<b>Seven</b>	<b>Implicit Cursors</b>	137
	- Using Implicit Cursors in PLSQL	138
	- Using Implicit Cursors to Select Records	140
	- Exceptions in PLSQL	141
	- Attributes of Implicit Cursors	143
	- SQL%FOUND	144
	- SQL%NOTFOUND	145
	- SQL%ROWCOUNT	146
<b>Eight</b>	<b>Sub-Blocking in PLSQL</b>	147
	- Introduction	148
	- Defining	149
	- Re-Raising Exceptions in PLSQL	151
	- <i>Exercise Five</i>	154
<b>Nine</b>	<b>Explicit Cursors</b>	158
	- Using Explicit Cursors in PLSQL	159
	- How Explicit Cursors Work	161
	- Attributes of an Explicit Cursor	164
	- Passing Parameters to Explicit Cursors	167
	- Explicit Cursors Versus Implicit Cursors	170
	- <i>Exercise Six</i>	171
<b>Ten</b>	<b>Loop Processing</b>	174
	- Iterative Processing in PLSQL	175
	- Basic Looping in PLSQL	176
	- While Looping in PLSQL	180
	- For Looping in PLSQL	183
	- Using Dates in For Loops in PLSQL	187
	- Using Characters in For Loops in PLSQL	188
	- Implicit Cursor Looping in PLSQL	189
	- Explicit Cursor Looping in PLSQL	192
	- Using other Loops with Explicit Cursors	194
	- Loop Labels in PLSQL	197
	- <i>Exercise Seven</i>	199
<b>Eleven</b>	<b>Case Statements and Case Expressions</b>	205
	- Introduction	206
	- Using Searched Case in PLSQL	207
	- Using Case in PLSQL	208
	- Using Nested Case in PLSQL	209
	- Using Case Expressions in PLSQL	211

## PLSQL 10g Index

	– Using Nullif in PLSQL	215
	– Using Coalesce in PLSQL	216
<b>Twelve</b>	<b>Rowtypes in PLSQL</b>	217
	– Using %Rowtype in PLSQL	218
	– Declaring a Variable as a %Rowtype	219
	– Referencing a %Rowtype Variable	220
	– Populating a Variable which is a %Rowtype	221
	– Passing a %Rowtype between Processes	224
	– Declaring a Cursor %Rowtype	226
<b>Thirteen</b>	<b>Savepoints in PLSQL</b>	229
	– Using Savepoints in a PLSQL process	230
	– Example of Savepoints in PLSQL process	231
	– <i>Exercise Eight</i>	232
<b>Fourteen</b>	<b>PL/SQL Database Objects</b>	236
	– PLSQL Objects	237
	– Compiling PLSQL Objects	238
	– Metadata For PLSQL Objects	239
	– Re-Compiling PLSQL Objects	240
	– Dropping PLSQL Objects	242
	– Passing Parameters in PLSQL	243
	– Passing Parameters in PLSQL using Positional Notation	244
	– Passing Parameters in PLSQL using Named Notation	246
	– Using Mixed Notation in SQL	247
	– Metadata (User Source)	249
	– Describing PLSQL Objects in SQL*Plus	250
<b>Fifteen</b>	<b>Programmer Defined Functions</b>	251
	– Syntax of Functions in Oracle	252
	– Suggested Naming Convention of Functions in Oracle	255
	– Function Example in PLSQL	256
	– Running Functions in SQL and PLSQL	258
	– Running Functions in Oracle	259
	– <i>Exercise Nine</i>	260
<b>Sixteen</b>	<b>Programmer Defined Procedures</b>	269
	– Syntax of Procedures in Oracle	270
	– Example of Procedures in Oracle	272
	– Executing Procedures in Oracle within SQL Plus	273
	– Executing Procedures in Oracle within PLSQL	274
<b>Seventeen</b>	<b>Sub-programming Techniques</b>	275
	– Introduction	276
	– Example	277
	– <i>Exercise Ten</i>	279
<b>Eighteen</b>	<b>Advanced Cursors in Oracle 10g</b>	287
	– For Update with Explicit Cursors	288
	– Where Current of Explicit Cursors	289
	– Example of Updating with Explicit Cursors	290
	– Using Nowait with Explicit Cursors	291
	– Using Skip Locked with Explicit Cursors	292
	– Using Wait with an Explicit Cursors	293
	– Using Rowid with Explicit Cursors	294
	– Using Returning Into in PLSQL	295
	– Ref Cursors in PLSQL	298
	– Strongly Typed Ref Cursors in PLSQL	299
	– Weakly Typed Ref Cursors in PLSQL	301

## PLSQL 10g Index

		- Sys_refcursor in PLSQL	302
		- Using Sys_Refcurors with SQL	304
		- Using Rowtype for DML	308
<b>Nineteen</b>	<b>Encrypting Code</b>		310
		- Introduction	311
		- Using Wrap.exe to encrypt processes in Oracle	312
		- Example of using Wrap.exe to encrypt processes	315
		- Using DBMS_DDL.CREATE_WRAPPED Function	317
<b>Twenty</b>	<b>Invoker Rights in PLSQL</b>		321
		- The need to use Invoker Rights	322
		- Example of Invoker Rights	323
		- Using AUTHID in PLSQL	326
<b>Twenty One</b>	<b>Forward Declaration</b>		329
<b>Twenty Two</b>	<b>Autonomous Transactions in PLSQL</b>		332
		- Introduction	333
		- Example of an Autonomous Transaction	335
		- Rollback in Autonomous Transactions	342
		- Using Autonomous Transactions in Triggers	343
<b>Twenty Three</b>	<b>Advanced Exceptions</b>		345
		- Handling Exceptions in Sub-Processes in PLSQL	346
		- Using Nocopy when Declaring Processes	348
		- Using DBMS_UTILITY Functions	352
		- DBMS_UTILITY.FORMAT_ERROR_STACK	353
		- DBMS_UTILITY.FORMAT_BACKTRACE	354
		- <i>Exercise Eleven</i>	357
<b>Twenty Four</b>	<b>Packaging Programmer Defined Programs</b>		360
		- Syntax of Packages in Oracle	361
		- Compiling of Packages in Oracle	366
		- Private Processes in PLSQL Packages	367
		- Executing Packages in Oracle	369
		- Handling Exceptions in Packages in PLSQL	370
<b>Twenty Five</b>	<b>Overloading Modules in PLSQL</b>		372
		- Introduction	373
		- Example	374
		- User_Procedures	378
		- <i>Exercise Twelve</i>	379
<b>Twenty Six</b>	<b>DML Triggers in Oracle</b>		386
		- Oracle Triggers Introduction	387
		- DML Triggers Introduction	388
		- DML Triggers Timing Points	391
		- DML Triggers When Conditions	392
		- DML Triggers When Conditions Examples	393
		- DML Triggers Suggested Naming Conventions	395
		- Syntax of DML Triggers in PLSQL	397
		- Referencing Values within Triggers	398
		- Checking the Event which fired the DML Trigger	402
		- Enabling/Disabling Triggers in an Oracle Database	404
		- Metadata for Triggers (User_Triggers)	406
		- Mutating DML Triggers in Oracle	407
		- <i>Exercise Thirteen</i>	411

## PLSQL 10g Index

<b>Twenty Seven</b>	<b>Instead Of Triggers</b>	418
	- Introduction to Instead Of Triggers	419
	- Syntax of an Instead Of Trigger in Oracle	422
	- Example of an Instead Of Trigger	424
	- Deleting Records in Oracle using an Instead Of	432
<b>Twenty Eight</b>	<b>System Triggers</b>	433
	- Introduction to System Triggers	434
	- Syntax for System Triggers in Oracle	435
	- System Event Triggers	436
	- User Event Triggers	437
	- Schema Event Triggers	441
	- Database Level Attributes for System Triggers	447
	- <i>Exercise Fourteen</i>	448
<b>Twenty Nine</b>	<b>Regular Expressions in PLSQL (Regexp)</b>	452
	- Introduction	453
	- Using REGEXP_LIKE in Where Clauses	454
	- Case Sensitivity	456
	- Line Anchors	457
	- Using the Dot (Any Character)	459
	- Counting Characters {Intervals}	462
	- Character Lists	466
	- Excluding Character Lists	470
	- Alternatives to Character Lists	471
	- Class Shorthands	474
	- Or Patterns (Alternatives)	475
	- Or Patterns with Character Lists	476
	- Using the Question Mark (Optional)	477
	- Using the Plus sign (Mandatory)	480
	- Using the Star sign (Optional)	482
	- Backreferencing	483
	- POSIX	485
	- Using POSIX in Oracle – [:upper:] example	487
	- Using POSIX in Oracle – [:digit:] example	488
	- Using POSIX in Oracle – Character equivalents	489
	- Using Regexp_like in PLSQL	490
	- Using Regexp_count in PLSQL	493
	- Using Regexp_replace in PLSQL	497
	- Using Regexp_instr in PLSQL	499
	- Using Regexp_substr in PLSQL	501
	- Using Regular Expressions in Oracle	503
<b>Thirty</b>	<b>Using Alternative Quoting Mechanism in PLSQL</b>	504
	- Introduction	505
	- Using Alternative Quoting Mechanism	506
	- <i>Exercise Fifteen</i>	507
<b>Thirty One</b>	<b>File I/O</b>	511
	- Reading and Writing Files in PLSQL	512
	- Accessing the File System using Directories	513
	- Creating Directories	514
	- Simple Write using UTL_FILE.PUT_LINE	516
	- Simple Read Using UTL_FILE.GET_LINE	517
	- Additional Functions in the UTL_FILE Package	518
	- Using UTL_FILE.PUTF in PLSQL	519
	- UTL_FILE Exceptions	521

## PLSQL 10g Index

	– Using UTL_FILE to perform Operating System Commands	523
	– Using UTL_FILE.Fcopy in PLSQL	524
	– Using UTL_FILE.Fgetattr in PLSQL	525
	– Using UTL_FILE.Fremove in PLSQL	526
	– Using UTL_FILE.Frename in PLSQL	527
<b>Thirty Two</b>	<b>Working with Clobs and Blobs in PLSQL</b>	528
	– Introduction	529
	– Creation of Clobs in Tables	530
	– Using Clobs in PLSQL	531
	– Inserting Clobs into the Database using PLSQL	532
	– Writing Clobs to the Filesystem using PLSQL	536
	– Introduction to Blobs	537
	– Inserting Blobs into the Database using PLSQL	538
	– Writing Blobs into the Filesystem using PLSQL	539
	– DBMS_LOB exceptions	542
<b>Thirty Three</b>	<b>DBMS_METADATA</b>	544
	– Generating Database Object Scripts	545
	– List of Object Types	546
	– Example of Using Dbms_Metadata	547
	– <i>Exercise Sixteen</i>	549
<b>Thirty Four</b>	<b>Using Contexts</b>	551
	– Introduction	552
	– Attributes	553
	– User Defined	561
	– Creating Contexts	562
	– Creating a Package for a Context	563
	– Creating a Context	564
	– Populating a Context	565
	– Accessing a Context	566
	– Listing Contents of a Context	567
	– Deleting Contents of a Context	569
	– Changing Context Behaviour	571
<b>Thirty Five</b>	<b>PLSQL Compiler</b>	572
	– Introduction	573
	– Warning Levels	574
	– Enabling/Disabling Warning Levels	575
	– Using the Alter Session	576
	– Using the Error option	579
	– Using the Dbms_warning Package	580
	– Using the Dbms_warning.get_category	581
	– Severe Category Errors	582
	– Informational Category Errors	584
	– Performance Category Errors	586
	– Using Dbms_warning.set_warning_setting_string	587
	– Using Dbms_warning.set_warning_setting_num	588
	– Using Dbms_warning.set_warning_setting_cat	589
	– User_plsql_object_settings	590
	– Re-Compiling with same Warning settings	592
	– PLSQL_Optimize_level	593
	– Optimize Levels	594
	– Timing Optimization with Dbms_utility.get_cpu_time	595
	– Optimize Levels in User_plsql_object_settings	601

## PLSQL 10g Index

		- Re-Compiling with same Optimize settings	602
<b>Thirty Six</b>	<b>Conditional Compilation in PLSQL</b>		603
		- Introduction	604
		- Dbms_preprocessor	606
		- Compiling using PLSQL_CCFLAGS	607
		- PLSQL_CCFLAGS in PLSQL	609
		- Using \$error Directive	617
		- Using Constants with CCFlags	619
		- \$\$PLSQL_CODE_TYPE	620
		- \$\$PLSQL_OPTIMIZE_LEVEL	621
		- \$\$PLSQL_LINE	622
		- \$\$PLSQL_UNIT	623
		- DBMS_DB_VERSION	624
		- Setting Session CCFLags	626
		- PLSQL_ccflags in user_plsql_object_settings	627
		- PLSQL_ccflags in Triggers	628
<b>Thirty Seven</b>	<b>Timestamps in PLSQL</b>		630
		- Timestamps and Intervals in PLSQL	631
		- Timestamp Variables in PLSQL	632
		- Timestamp in PLSQL	634
		- Populating Timestamps in PLSQL	637
		- Using Extract in PLSQL	639
		- Timestamp with Time Zone	640
		- Timestamp Time Zone and Extract	643
		- Using sys_extract_utc to Normalise Timestamps	644
		- Using the To_Timestamp_TZ function	645
		- Using the From_TZ function	647
		- Timestamp with Local Time Zone	649
		- Intervals	651
		- Populating Year to Month Intervals	654
		- Populating Day to Second Intervals	655
		- Using Intervals in PLSQL	656
		- Using Intervals with Extract in PLSQL	661
		- Populating Intervals using Timestamps	662
		- <i>Exercise Seventeen</i>	663
<b>Thirty Eight</b>	<b>PLSQL Data Structures and Collections</b>		667
		- Programmer Defined Records	668
		- Nested Programmer Defined Records	672
		- Varrays in PLSQL	674
		- Using Varrays in Loops	677
		- Populating Varrays	678
		- Extending Varrays	679
		- Deleting from Varrays	681
		- Varrays and Tables	682
		- Multilevel Varrays	685
<b>Thirty Nine</b>	<b>Associate Arrays (Index by Tables)</b>		688
		- Introducing Associate Arrays in PLSQL	689
		- Declaring PLSQL Tables	691
		- Populating PLSQL Tables	692
		- Using Count with PLSQL Tables	694
		- Using Delete with PLSQL Tables	695
		- Using Exists with PLSQL Tables	696
		- Using First/Last with PLSQL Tables	697

## PLSQL 10g Index

	- Using Next/Prior with PLSQL Tables	698
	- Using Varchar2 as an index with a PLSQL Table	699
	- Multi-level PLSQL Table	703
	- Nested PLSQL Table	704
	- Cardinality with Nested Table	707
	- Tidying Nested PLSQL Tables using Set	708
	- Nested PLSQL Tables using Set	709
	- Trimming Nested PLSQL Tables	711
	- Multi-Level Nested PLSQL Tables	713
<b>Forty</b>	<b>Collection Comparisons</b>	714
	- Introduction	715
	- Check for Equality	716
	- Using IN with a Nested Table	719
	- Using Member Of with a Nested Table	720
	- Using Is Empty with a Nested Table	721
	- Multiset Union	722
	- Multiset Union Distinct	724
	- Multiset Intersect	725
	- Multiset Except	726
	- Submultiset	727
	- Not Submultiset	728
	- Not Submultiset Alternative	729
	- <i>Exercise Eighteen</i>	730
<b>Forty One</b>	<b>Bulk SQL in PLSQL</b>	732
	- Introduction to Bulk Processing	733
	- Bulk Binding in PLSQL	734
	- Bulk Binding in PLSQL using Associate Arrays	735
	- Bulk Binding in PLSQL using Varrays	736
	- Bulk Binding in PLSQL using Nested Tables	737
	- Forall with Save Exceptions	738
	- Forall with SQL%BULKEXCEPTIONS	740
	- Forall with Indices Of	743
	- Forall with Values Of	745
	- Bulk Collect with Implicit Cursors (Varray)	746
	- Bulk Collect with Implicit Cursors (Associative Array)	747
	- Bulk Collect with Implicit Cursors (Nested Table)	748
	- Bulk Collect with Explicit Cursors	749
	- Bulk Collect and Returning in PLSQL	750
	- Problems with Bulk Processing in PLSQL	753
	- Bulk Processing and Limit in PLSQL	754
<b>Forty Two</b>	<b>Advanced Use of Packages</b>	755
	- Introduction	756
	- Defining Explicit Cursors in Packages	757
	- Flexible Explicit Cursors in Packages	761
	- Passing Parameters Using Packages	764
	- Using PLSQL Tables as Parameters	767
	- Global Variables using Packages	771
	- Public and Private Variables in Packages	777



## PLSQL 10g Index

<b>Forty Three</b>	<b>Dynamic SQL</b>	779
	- Introduction to Dynamic SQL	780
	- Native Dynamic SQL (NDS) with Execute Immediate	781
	- NDS Error Handling	784
	- NDS with Inputs	785
	- NDS with Output	787
	- Dynamic Cursors and Sys_Refcursor	788
	- NDS with Outputs	790
	- Introduction to DBMS_SQL	791
	- DBMS_SQL Example	792
	- <i>Exercise Nineteen</i>	793

