

## PLSQL 11g Index

<b>One</b>	<b>PLSQL Introduction</b>	2
	– Procedural Language for SQL	3
<b>Two</b>	<b>PLSQL Structure</b>	5
	– Basic Structure of PLSQL	6
	– The Declaration Section in PLSQL	7
	– Local Variables in PLSQL	8
	– Naming Local Variables in PLSQL	10
	– Quoted Identifier Variables	12
	– Variable Datatypes (varchar2)	16
	– Variable Datatypes (numbers)	17
	– Variable Datatypes (number)	18
	– Variable Datatypes (decimal)	21
	– Variable Datatypes (integer)	22
	– Variable Datatypes (pls_integer)	23
	– Variable Datatypes (binary_integer)	24
	– Variable Datatypes (natural)	25
	– Variable Datatypes (naturaln)	26
	– Variable Datatypes (positive)	27
	– Variable Datatypes (positiven)	28
	– Variable Datatypes (signtype)	29
	– Variable Datatypes (simple_integer)	30
	– Variable Datatypes (boolean)	31
	– Variable Datatypes - Constants	33
	– Running PLSQL in SQL*Plus	35
	– Compiling PLSQL in SQL*Plus	37
	– Common Compilation Problems	40
	– Commenting PLSQL	42
	– Documenting PLSQL	44
	– <i>Exercise One</i>	45
<b>Three</b>	<b>Performing Simple DML in PLSQL</b>	47
	– Introduction	48
	– Using Local Variables	49
	– Declaring Variables Using %Type	52
	– Using Substitution Values in PLSQL	56
	– <i>Exercise Two</i>	59
<b>Four</b>	<b>Performing Conditional Statements in PLSQL</b>	61
	– If .. Then Statements	62
	– If .. Then Else Statements	65
	– If .. Then Elself Statements	67
	– Combining Tests	68
	– Nesting Conditions	69
	– Boolean Conditions	70
<b>Five</b>	<b>Communicating from PLSQL</b>	71
	– Messaging Via PLSQL	72
	– <i>Exercise Three</i>	77
<b>Six</b>	<b>Exception Handling</b>	81
	– Introduction	82
	– The When Clause	85
	– The When Others Clause	88
	– Raise_Application_Error	90
	– Oracle Defined Exceptions	94
	– Access_into_Null (ORA-06530)	95
	– Case_Not_Found (ORA-06592 )	97
	– Collection_Is_Null (ORA-06531)	98
	– Cursor_Already_Open (ORA-06511)	100
	– Dup_Val_On_Index (ORA-00001)	101
	– Invalid_Cursor (ORA-01001)	102
	– Invalid_Number (ORA-01722)	103

## PLSQL 11g Index

	- Login_Denied (ORA-01017)	104
	- No_Data_Found (ORA-01403)	106
	- Not_Logged_On (ORA-01012)	107
	- Program_Error (ORA-06501)	108
	- Rowtype_Mismatch (ORA-06504)	109
	- Self_is_Null (ORA-30625)	111
	- Storage_Error (ORA-06500)	114
	- Subscript_Beyond_Count (ORA-06533)	115
	- Subscript_outside_limit (ORA-06532)	116
	- Sys_Invalid_Rowid (ORA-01410)	118
	- Timeout_On_Resource (ORA-00051)	119
	- Too_Many_Rows (ORA-01422)	120
	- Value_Error (ORA-06502)	121
	- Zero_Divide (ORA-01476)	122
	- Raising User Defined Exceptions	123
	- Pragma Exceptions in PLSQL	126
	- Grouping Exceptions in PLSQL	130
	- Alternative Way to Handle SQL Errors in PLSQL	131
	- Handling SQL Errors in PLSQL	132
	- Advanced SQLerrm	134
	- <i>Exercise Four</i>	135
<b>Seven</b>	<b>Implicit Cursors</b>	138
	- Using Implicit Cursors in PLSQL	139
	- Using Implicit Cursors to Select Records	141
	- Exceptions in PLSQL	142
	- Attributes of Implicit Cursors	144
	- SQL%FOUND	145
	- SQL%NOTFOUND	146
	- SQL%ROWCOUNT	147
<b>Eight</b>	<b>Sub-Blocking in PLSQL</b>	148
	- Introduction	149
	- Defining	150
	- Re-Raising Exceptions in PLSQL	152
	- <i>Exercise Five</i>	155
<b>Nine</b>	<b>Explicit Cursors</b>	159
	- Using Explicit Cursors in PLSQL	160
	- How Explicit Cursors Work	162
	- Attributes of an Explicit Cursor	165
	- Passing Parameters to Explicit Cursors	168
	- Explicit Cursors Versus Implicit Cursors	171
	- <i>Exercise Six</i>	172
<b>Ten</b>	<b>Loop Processing</b>	175
	- Iterative Processing in PLSQL	176
	- Basic Looping in PLSQL	177
	- While Looping in PLSQL	181
	- For Looping in PLSQL	184
	- Using Dates in For Loops in PLSQL	188
	- Using Characters in For Loops in PLSQL	189
	- Implicit Cursor Looping in PLSQL	190
	- Explicit Cursor Looping in PLSQL	193
	- Using other Loops with Explicit Cursors	195
	- Loop Labels in PLSQL	198
	- Loop Continue and Continue When	200
	- <i>Exercise Seven</i>	204

## PLSQL 11g Index

<b>Eleven</b>	<b>Case Statements and Case Expressions</b>	210
	– Introduction	211
	– Using Searched Case in PLSQL	212
	– Using Case in PLSQL	213
	– Using Nested Case in PLSQL	214
	– Using Case Expressions in PLSQL	216
	– Using Nullif in PLSQL	220
	– Using Coalesce in PLSQL	221
<b>Twelve</b>	<b>Rowtypes in PLSQL</b>	222
	– Using %Rowtype in PLSQL	223
	– Declaring a Variable as a %Rowtype	224
	– Referencing a %Rowtype Variable	225
	– Populating a Variable which is a %Rowtype	226
	– Passing a %Rowtype between Processes	229
	– Declaring a Cursor %Rowtype	231
<b>Thirteen</b>	<b>Using Sequences in PLSQL 11g</b>	234
<b>Fourteen</b>	<b>Savepoints in PLSQL</b>	237
	– Using Savepoints in a PLSQL process	238
	– Example of Savepoints in PLSQL process	239
	– <i>Exercise Eight</i>	240
<b>Fifteen</b>	<b>PL/SQL Database Objects</b>	244
	– PLSQL Objects	245
	– Compiling PLSQL Objects	246
	– Metadata For PLSQL Objects	247
	– Re-Compiling PLSQL Objects	248
	– Dropping PLSQL Objects	250
	– Passing Parameters in PLSQL	251
	– Passing Parameters in PLSQL using Positional Notation	252
	– Passing Parameters in PLSQL using Named Notation	254
	– Using Mixed Notation in SQL	255
	– Metadata (User Source)	257
	– Describing PLSQL Objects in SQL*Plus	258
<b>Sixteen</b>	<b>Programmer Defined Functions</b>	259
	– Syntax of Functions in Oracle	260
	– Suggested Naming Convention of Functions in Oracle	263
	– Function Example in PLSQL	264
	– Running Functions in SQL and PLSQL	266
	– Running Functions in Oracle	267
	– <i>Exercise Nine</i>	268
<b>Seventeen</b>	<b>Programmer Defined Procedures</b>	277
	– Syntax of Procedures in Oracle	278
	– Example of Procedures in Oracle	280
	– Executing Procedures in Oracle within SQL Plus	281
	– Executing Procedures in Oracle within PLSQL	282
	– <i>Exercise Ten</i>	268
<b>Eighteen</b>	<b>Sub-programming Techniques</b>	283
	– Introduction	284
	– Example	285
<b>Nineteen</b>	<b>Advanced Cursors in Oracle 11g</b>	295
	– For Update with Explicit Cursors	296
	– Where Current of Explicit Cursors	297
	– Example of Updating with Explicit Cursors	298
	– Using Nowait with Explicit Cursors	299
	– Using Skip Locked with Explicit Cursors	300

## PLSQL 11g Index

	- Using Wait with an Explicit Cursors	301
	- Using Rowid with Explicit Cursors	302
	- Using Returning Into in PLSQL	303
	- Ref Cursors in PLSQL	306
	- Strongly Typed Ref Cursors in PLSQL	307
	- Weakly Typed Ref Cursors in PLSQL	309
	- Sys_refcursor in PLSQL	310
	- Using Sys_Refcurors with SQL	312
	- Using Rowtype for DML	316
<b>Twenty</b>	<b>Encrypting Code</b>	318
	- Introduction	319
	- Using Wrap.exe to encrypt processes in Oracle	320
	- Example of using Wrap.exe to encrypt processes	323
	- Using DBMS_DDL.CREATE_WRAPPED Function	325
<b>Twenty One</b>	<b>Invoker Rights in PLSQL</b>	329
	- The need to use Invoker Rights	330
	- Example of Invoker Rights	331
	- Using AUTHID in PLSQL	334
<b>Twenty Two</b>	<b>Forward Declaration</b>	337
<b>Twenty Three</b>	<b>Autonomous Transactions in PLSQL</b>	340
	- Introduction	341
	- Example of an Autonomous Transaction	343
	- Rollback in Autonomous Transactions	350
	- Using Autonomous Transactions in Triggers	351
<b>Twenty Four</b>	<b>Advanced Exceptions</b>	353
	- Handling Exceptions in Sub-Processes in PLSQL	354
	- Using Nocopy when Declaring Processes	356
	- Using DBMS_UTILITY Functions	360
	- DBMS_UTILITY.FORMAT_ERROR_STACK	361
	- DBMS_UTILITY.FORMAT_BACKTRACE	362
	- <i>Exercise Eleven</i>	365
<b>Twenty Five</b>	<b>Packaging Programmer Defined Programs</b>	368
	- Syntax of Packages in Oracle	369
	- Compiling of Packages in Oracle	374
	- Private Processes in PLSQL Packages	375
	- Executing Packages in Oracle	377
	- Handling Exceptions in Packages in PLSQL	378
<b>Twenty Six</b>	<b>Overloading Modules in PLSQL</b>	380
	- Introduction	381
	- Example	382
	- User_Procedures	386
	- <i>Exercise Twelve</i>	387
<b>Twenty Seven</b>	<b>DML Triggers in Oracle</b>	394
	- Oracle Triggers Introduction	395
	- DML Triggers Introduction	396
	- DML Triggers Timing Points	399
	- DML Triggers When Conditions	400
	- DML Triggers When Conditions Examples	401
	- DML Triggers Suggested Naming Conventions	403
	- Syntax of DML Triggers in PLSQL	405
	- Referencing Values within Triggers	406
	- Checking the Event which fired the DML Trigger	410
	- Using the Follows syntax to dictate Trigger Firing	412

## PLSQL 11g Index

	- Using the Disable syntax when Compiling Triggers	417
	- Enabling/Disabling Triggers in an Oracle Database	418
	- Metadata for Triggers (User_Triggers)	420
	- Mutating DML Triggers in Oracle	421
	- <i>Exercise Thirteen</i>	425
<b>Twenty Eight</b>	<b>Instead Of Triggers</b>	432
	- Introduction to Instead Of Triggers	433
	- Syntax of an Instead Of Trigger in Oracle	436
	- Example of an Instead Of Trigger	438
	- Deleting Records in Oracle using an Instead Of	446
	- Using Follows in an Instead Of Trigger	447
<b>Twenty Nine</b>	<b>Compound Triggers</b>	448
	- Introduction to Compound Triggers	449
	- Syntax for Table Compound Triggers	451
	- Declaration Section	452
	- Timing Points	453
	- Before Statement	454
	- Before Each Row	455
	- After Each Row	456
	- After Statement	457
	- Compound Triggers for Views	458
<b>Thirty</b>	<b>System Triggers</b>	459
	- Introduction to System Triggers	460
	- Syntax for System Triggers in Oracle	461
	- System Event Triggers	462
	- User Event Triggers	463
	- Schema Event Triggers	467
	- Database Level Attributes for System Triggers	473
	- <i>Exercise Fourteen</i>	474
<b>Thirty One</b>	<b>Regular Expressions in PLSQL (Regex)</b>	482
	- Introduction	483
	- Using REGEXP_LIKE in Where Clauses	484
	- Case Sensitivity	486
	- Line Anchors	487
	- Using the Dot (Any Character)	489
	- Counting Characters {Intervals}	492
	- Character Lists	496
	- Excluding Character Lists	500
	- Alternatives to Character Lists	501
	- Class Shorthands	504
	- Or Patterns (Alternatives)	505
	- Or Patterns with Character Lists	506
	- Using the Question Mark (Optional)	507
	- Using the Plus sign (Mandatory)	510
	- Using the Star sign (Optional)	512
	- Backreferencing	513
	- POSIX	515
	- Using POSIX in Oracle – [:upper:] example	517
	- Using POSIX in Oracle – [:digit:] example	518
	- Using POSIX in Oracle – Character equivalents	519
	- Using Regexp_like in PLSQL	520
	- Using Regexp_count in PLSQL	523
	- Using Regexp_replace in PLSQL	527

## PLSQL 11g Index

	- Using Regexp_instr in PLSQL	529
	- Using Regexp_substr in PLSQL	531
	- Using Regular Expressions in Oracle	533
<b>Thirty Two</b>	<b>Using Alternative Quoting Mechanism in PLSQL</b>	534
	- Introduction	535
	- Using Alternative Quoting Mechanism	536
	- <i>Exercise Fifteen</i>	537
<b>Thirty Three</b>	<b>File I/O</b>	541
	- Reading and Writing Files in PLSQL	542
	- Accessing the File System using Directories	543
	- Creating Directories	544
	- Simple Write using UTL_FILE.PUT_LINE	546
	- Simple Read Using UTL_FILE.GET_LINE	547
	- Additional Functions in the UTL_FILE Package	548
	- Using UTL_FILE.PUTF in PLSQL	549
	- UTL_FILE Exceptions	551
	- Using UTL_FILE to perform Operating System Commands	553
	- Using UTL_FILE.Fcopy in PLSQL	554
	- Using UTL_FILE.Fgetattr in PLSQL	555
	- Using UTL_FILE.Fremove in PLSQL	556
	- Using UTL_FILE.Frename in PLSQL	557
<b>Thirty Four</b>	<b>Working with Clobs and Blobs in PLSQL</b>	558
	- Introduction	559
	- Creation of Clobs in Tables	560
	- Using Clobs in PLSQL	561
	- Inserting Clobs into the Database using PLSQL	562
	- Writing Clobs to the Filesystem using PLSQL	566
	- Introduction to Blobs	567
	- Inserting Blobs into the Database using PLSQL	568
	- Writing Blobs into the Filesystem using PLSQL	569
	- DBMS_LOB exceptions	572
<b>Thirty Five</b>	<b>DBMS_METADATA</b>	574
	- Generating Database Object Scripts	575
	- List of Object Types	576
	- Example of Using Dbms_Metadata	577
	- <i>Exercise Sixteen</i>	579
<b>Thirty Six</b>	<b>Using Contexts</b>	581
	- Introduction	582
	- Attributes	583
	- User Defined	591
	- Creating Contexts	592
	- Creating a Package for a Context	593
	- Creating a Context	594
	- Populating a Context	595
	- Accessing a Context	596
	- Listing Contents of a Context	597
	- Deleting Contents of a Context	599
	- Changing Context Behaviour	601

## PLSQL 11g Index

<b>Thirty Seven</b>	<b>Subprogram Inlining</b>	602
	– Introduction	603
	– Pragma Inline	604
	– Example of Inlining	605
	– Inlining Usage	610
	– Conclusion	612
<b>Thirty Eight</b>	<b>PLSQL Compiler</b>	613
	– Introduction	614
	– Warning Levels	615
	– Enabling/Disabling Warning Levels	616
	– Using the Alter Session	617
	– Using the Error option	620
	– Using the Dbms_warning Package	622
	– Using the Dbms_warning.get_category	623
	– Severe Category Errors	624
	– Informational Category Errors	626
	– Performance Category Errors	628
	– Oracle Error Messages	629
	– Using Dbms_warning.set_warning_setting_string	630
	– Using Dbms_warning.set_warning_setting_num	631
	– Using Dbms_warning.set_warning_setting_cat	632
	– User_plsql_object_settings	633
	– Re-Compiling with same Warning settings	635
	– PLSQL_Optimize_level	636
	– Optimize Levels	637
	– Timing Optimization with Dbms_utility.get_cpu_time	638
	– Optimize Levels in User_plsql_object_settings	644
	– Re-Compiling with same Optimize settings	645
	– High Level Optimization without Pragma Inline	646
<b>Thirty Nine</b>	<b>Conditional Compilation in PLSQL</b>	648
	– Introduction	649
	– Dbms_preprocessor	651
	– Compiling using PLSQL_CCFLAGS	652
	– PLSQL_CCFLAGS in PLSQL	654
	– Using \$error Directive	662
	– Using Constants with CCFlags	664
	– \$\$PLSQL_CODE_TYPE	665
	– Oracle Compilation Modes	666
	– \$\$PLSQL_OPTIMIZE_LEVEL	667
	– \$\$PLSQL_LINE	668
	– \$\$PLSQL_UNIT	669
	– DBMS_DB_VERSION	670
	– Setting Session CCFlags	672
	– PLSQL_ccflags in user_plsql_object_settings	673
	– PLSQL_ccflags in Triggers	674
<b>Forty</b>	<b>Timestamps in PLSQL</b>	676
	– Timestamps and Intervals in PLSQL	677
	– Timestamp Variables in PLSQL	678
	– Timestamp in PLSQL	680
	– Populating Timestamps in PLSQL	683
	– Using Extract in PLSQL	685
	– Timestamp with Time Zone	686
	– Timestamp Time Zone and Extract	689

## PLSQL 11g Index

	- Using sys_extract_utc to Normalise Timestamps	690
	- Using the To_Timestamp_TZ function	691
	- Using the From_TZ function	693
	- Timestamp with Local Time Zone	695
	- Intervals	697
	- Populating Year to Month Intervals	700
	- Populating Day to Second Intervals	701
	- Using Intervals in PLSQL	702
	- Using Intervals with Extract in PLSQL	707
	- Populating Intervals using Timestamps	708
	- <i>Exercise Seventeen</i>	709
<b>Forty One</b>	<b>PLSQL Data Structures and Collections</b>	713
	- Programmer Defined Records	714
	- Nested Programmer Defined Records	718
	- Varrays in PLSQL	720
	- Using Varrays in Loops	723
	- Populating Varrays	724
	- Extending Varrays	725
	- Deleting from Varrays	727
	- Varrays and Tables	728
	- Multilevel Varrays	731
<b>Forty Two</b>	<b>Associate Arrays (Index by Tables)</b>	734
	- Introducing Associate Arrays in PLSQL	735
	- Declaring PLSQL Tables	737
	- Populating PLSQL Tables	738
	- Using Count with PLSQL Tables	740
	- Using Delete with PLSQL Tables	741
	- Using Exists with PLSQL Tables	742
	- Using First/Last with PLSQL Tables	743
	- Using Next/Prior with PLSQL Tables	744
	- Using Varchar2 as an index with a PLSQL Table	745
	- Multi-level PLSQL Table	749
	- Nested PLSQL Table	750
	- Cardinality with Nested Table	753
	- Tidying Nested PLSQL Tables using Set	754
	- Nested PLSQL Tables using Set	755
	- Trimming Nested PLSQL Tables	757
	- Multi-Level Nested PLSQL Tables	759
<b>Forty Three</b>	<b>Collection Comparisons</b>	760
	- Introduction	761
	- Check for Equality	762
	- Using IN with a Nested Table	765
	- Using Member Of with a Nested Table	766
	- Using Is Empty with a Nested Table	767
	- Multiset Union	768
	- Multiset Union Distinct	770
	- Multiset Intersect	771
	- Multiset Except	772
	- Submultiset	773
	- Not Submultiset	774
	- Not Submultiset Alternative	775
	- <i>Exercise Eighteen</i>	776

## PLSQL 11g Index

<b>Forty Four</b>	<b>Bulk SQL in PLSQL</b>	778
	– Introduction to Bulk Processing	779
	– Bulk Binding in PLSQL	780
	– Bulk Binding in PLSQL using Associate Arrays	781
	– Bulk Binding in PLSQL using Varrays	782
	– Bulk Binding in PLSQL using Nested Tables	783
	– Forall with Save Exceptions	784
	– Forall with SQL%BULKEXCEPTIONS	786
	– Forall with Indices Of	789
	– Forall with Values Of	791
	– Bulk Collect with Implicit Cursors (Varray)	792
	– Bulk Collect with Implicit Cursors (Associative Array)	793
	– Bulk Collect with Implicit Cursors (Nested Table)	794
	– Bulk Collect with Explicit Cursors	795
	– Bulk Collect and Returning in PLSQL	796
	– Problems with Bulk Processing in PLSQL	799
	– Bulk Processing and Limit in PLSQL	800
<b>Forty Five</b>	<b>Advanced Use of Packages</b>	801
	– Introduction	802
	– Defining Explicit Cursors in Packages	803
	– Flexible Explicit Cursors in Packages	807
	– Passing Parameters Using Packages	810
	– Using PLSQL Tables as Parameters	813
	– Global Variables using Packages	817
	– Public and Private Variables in Packages	823
<b>Forty Six</b>	<b>Dynamic SQL</b>	825
	– Introduction to Dynamic SQL	826
	– Native Dynamic SQL (NDS) with Execute Immediate	827
	– NDS Error Handling	830
	– NDS with Inputs	831
	– NDS with Output	833
	– Dynamic Cursors and Sys_Refcursor	834
	– NDS with Outputs	836
	– Introduction to DBMS_SQL	837
	– DBMS_SQL Example	838
	– <i>Exercise Nineteen</i>	839