

Discoverer 10g Administration

| Section | Title | Page |
|---|---|------|
| One | Introduction to Discoverer Administration | 2 |
| | – What is Oracle Discoverer? | 3 |
| | – What is Discoverer Administration ? | 4 |
| | – How to run Discoverer Administrator | 6 |
| | – Who can perform the Administrator role? | 8 |
| | – Understanding Discoverer Terminology | 9 |
| | – <i>Exercise One</i> | 18 |
| Two | Discoverer Administrator Interface | 30 |
| | – Connecting to Discoverer Administrator | 31 |
| | – Discoverer Administrator Topography | 34 |
| | – Discoverer Work Area | 35 |
| | – Work Area Tabs | 36 |
| | – Menu Bar | 37 |
| | – Shortcut Bar | 38 |
| Three | The Discoverer End User Layer | 39 |
| | – Administration Tasklist | 40 |
| | – Introduction to the Discoverer EUL | 41 |
| | – Privileges needed by the Discoverer Administrator | 43 |
| | – Maintaining a Discoverer End User Layer | 44 |
| | – Types of Discoverer End User Layers | 45 |
| | – Discoverer End User Layer Gateway | 47 |
| Four | – Creating Discoverer End User Layers | 48 |
| | – Creating Discoverer Additional End User Layers | 56 |
| | – <i>Exercise Two</i> | 57 |
| | Discoverer Business Areas | 60 |
| | – Introduction to Discoverer Business Areas | 61 |
| | – Creating Business Areas in Discoverer | 63 |
| | – Attributes of Business Areas in Discoverer | 72 |
| Five | – Description Attributes in Discoverer | 73 |
| | – Viewing Business Areas in Discoverer | 75 |
| | – Opening Business Areas in Administrator | 77 |
| | – Business Area Properties | 79 |
| | – New Business Areas Without Folders | 80 |
| | Exporting and Importing | 82 |
| | – Exporting in Discoverer Administrator | 83 |
| Six | – Exporting the EUL | 84 |
| | – Exporting Selected Business Areas | 88 |
| | – Exporting Selected Objects | 90 |
| | – Importing Export Files into Administrator | 92 |
| | – <i>Exercise Three</i> | 102 |
| | Simple Folders | 112 |
| | – Introduction | 113 |
| Seven | – Creating Additional Folders in Discoverer | 114 |
| | – Simple Folder Properties | 116 |
| | – Simple Folder Items | 119 |
| | – <i>Exercise Four</i> | 120 |
| | Security and Privileges | 124 |
| | – Discoverer Access | 125 |
| | – Discoverer Security | 126 |
| – Using Roles in Discoverer Administrator | 127 | |
| – Granting Access to Desktop Users | 128 | |
| – Discoverer Administrator Privileges | 132 | |
| – Granting Privileges to Desktop Users | 133 | |

Discoverer 10g Administration

| Section | Title | Page |
|---------------|--|------|
| | – Granting Users to Privileges | 136 |
| | – Administration Privileges | 137 |
| | – User Edition Privileges | 138 |
| | – Query Governor in Discoverer Administrator | 140 |
| | – Scheduled Workbooks in Discoverer | 143 |
| | – <i>Exercise Five</i> | 145 |
| Eight | Item Properties | 148 |
| | – Items in Discoverer Administrator | 149 |
| | – Data Types in Discoverer Administrator | 150 |
| | – Varchar2 | 151 |
| | – Number | 152 |
| | – Date | 153 |
| | – Long | 154 |
| | – Large Objects | 155 |
| | – Attributes | 157 |
| | – <i>Exercise Six</i> | 169 |
| Nine | Developing Folders | 173 |
| | – Adding Value to Discoverer Folders | 174 |
| | – Creating Conditions in Discoverer | 175 |
| | – Viewing Conditions in Administrator | 185 |
| | – Viewing Conditions in Desktop | 186 |
| | – Properties of Conditions | 188 |
| | – Calculations in Discoverer | 192 |
| | – Creating Calculations in Discoverer | 194 |
| | – Viewing Calculations in Discoverer | 198 |
| | – Properties of Calculations | 199 |
| | – Calculations in Discoverer Desktop | 200 |
| | – <i>Exercise Seven</i> | 201 |
| | – Item Classes in Discoverer Administrator | 206 |
| | – Creating LOVs in Discoverer Administrator | 207 |
| | – Viewing LOVs in Discoverer Administrator | 217 |
| | – Viewing LOVs in Discoverer Desktop | 220 |
| | – Editing LOVs in Administrator | 224 |
| | – <i>Exercise Eight</i> | 227 |
| Ten | Joins | 229 |
| | – Joining Folders in Discoverer Administrator | 230 |
| | – Types of Joins in Discoverer Administrator | 232 |
| | – Creating Joins in Discoverer Administrator | 233 |
| | – Viewing Joins in Discoverer Administrator | 241 |
| | – Fan Traps in Discoverer Administrator | 244 |
| | – Multiple Join Path Detection in Discoverer Desktop | 249 |
| | – <i>Exercise Nine</i> | 250 |
| Eleven | Complex Folders | 254 |
| | – Creating Complex Folders in Discoverer | 255 |
| | – Using Reach-Through in Discoverer | 259 |
| | – <i>Exercise Ten</i> | 263 |
| Twelve | Custom Folders | 268 |
| | – Creating Custom Folders in Discoverer | 269 |
| | – Viewing Custom Folders in Discoverer | 272 |
| | – Properties of Custom Folders | 273 |

Discoverer 10g Administration

| Section | Title | Page |
|-----------------|---|------|
| | – Using Aliases in Custom Folders | 274 |
| | – Joining Tables in an SQL Statement | 278 |
| | – Problems with Joining Tables in SQL | 283 |
| | – Using Ansi SQL/86 to Join Tables | 286 |
| | – Ansi SQL/86 and Outer Joins | 287 |
| | – Ansi SQL/92 Standards (Natural Joins) | 290 |
| | – Ansi SQL/92 Standards (Cross Joins) | 291 |
| | – Ansi SQL/92 Standards (Joins/Using) | 292 |
| | – Ansi SQL/92 Standards (On) | 293 |
| | – Ansi SQL/92 Standards (Multiple On) | 294 |
| | – Ansi SQL/92 Standards (Left Outer Joins) | 295 |
| | – Ansi SQL/92 Standards (Right Outer Joins) | 296 |
| | – Ansi SQL/92 Standards (Full Outer Joins) | 297 |
| | – Merging Tables in SQL | 298 |
| | – Using Union to Merge Tables in SQL | 299 |
| | – Using Union all to Merge Tables in SQL | 300 |
| | – Using Intersect to Merge Tables in SQL | 301 |
| | – Using Minus to Merge Tables in SQL | 302 |
| | – Knowledge Check | 303 |
| | – Using the Merge Syntax in SQL | 308 |
| | – Using Metadata in the End User Layer | 309 |
| | – Tree Walking in Discoverer | 311 |
| | – Syntax for Tree Walking in Discoverer | 313 |
| | – Example of Tree Walking in Discoverer | 314 |
| | – Ordering Siblings in Tree Walks | 315 |
| | – Using Sys_Connect_By_Path | 317 |
| | – <i>Exercise Eleven</i> | 319 |
| Thirteen | Alternative Sorts | 327 |
| | – Alternative Sorting in Discoverer | 328 |
| | – Creating Alternative Sorts | 330 |
| | – Using Alternative Sorts in Desktop | 335 |
| | – An Alternative Way of Sorting | 336 |
| | – <i>Exercise Twelve</i> | 343 |
| Fourteen | Aggregation | 346 |
| | – Aggregating Data in Discoverer | 347 |
| | – Data Points in Discoverer | 352 |
| | – Aggregating Dates in Discoverer | 355 |
| Fifteen | Drilling and Hierarchies | 358 |
| | – Drilling Data in Discoverer | 359 |
| | – Creating Hierarchies in Discoverer | 363 |
| | – Default Date Hierarchies in Discoverer | 364 |
| | – Creating Date Hierarchies in Discoverer | 366 |
| | – Viewing Date Hierarchies in Discoverer | 371 |
| | – Editing Date Hierarchies | 372 |
| | – Creating Item Hierarchies in Discoverer | 373 |
| | – Viewing Item Hierarchies in Discoverer | 377 |
| | – Editing Item Hierarchies in Discoverer | 378 |
| | – Using Item Hierarchies in Discoverer | 379 |
| | – Creating Drill to Detail in Discoverer | 380 |

Discoverer 10g Administration

| Section | Title | Page |
|------------------|---|------|
| | – Using Drill to Detail in Discoverer Desktop | 385 |
| | – Hyper Drill Plug-ins | 387 |
| | – <i>Exercise Thirteen</i> | 390 |
| Sixteen | Scheduling | 394 |
| | – Administrating Scheduling in Discoverer | 395 |
| | – Specifying Scheduled Workbook Limits | 399 |
| | – Processing Scheduled Workbooks | 401 |
| | – Scheduling a Workbook in Desktop | 403 |
| | – Scheduling Manager in Administrator | 404 |
| | – <i>Exercise Fourteen</i> | 406 |
| Seventeen | Summaries | 407 |
| | – Summary Creation in Discoverer | 408 |
| | – Using ASM in Discoverer | 412 |
| | – Creating Manual Summaries in Discoverer | 421 |
| | – Using Query Performance Statistics | 422 |
| | – From Items in the End User Layer | 429 |
| | – Registering an External Summary Table | 432 |
| | – Viewing Summary Folders in Discoverer | 437 |
| | – Editing Summary Folders in Discoverer | 438 |
| | – Refreshing Summary Folders in Discoverer | 440 |
| | – Redirection in Discoverer Desktop | 441 |
| Eighteen | Materialized Views | 443 |
| | – An Alternative to Summaries | 444 |
| | – Syntax for Creating Materialized Views | 445 |
| | – Refreshing Materialized Views | 447 |
| | – Building Materialized Views | 453 |
| | – Removing Materialized Views | 455 |
| | – Access Keys | 456 |
| | – Logs | 457 |
| | – Refresh Groups | 458 |
| | – Creating Refresh Groups | 459 |
| | – Deleting Refresh Groups | 462 |
| | – Amending Refresh Groups | 463 |
| | – Amending Refresh Group Members | 464 |
| | – Refresh Group Metadata | 465 |
| | – Miscellaneous | 466 |
| | – <i>Exercise Fifteen</i> | 467 |
| Nineteen | Maintaining the EUL | 471 |
| | – Refreshing the End User Layer | 472 |
| | – Folder Maintenance in Discoverer | 478 |
| | – Deleting Folders in Discoverer | 482 |
| | – Deleting Business Areas in Discoverer | 483 |
| | – Using the Command Line | 484 |
| | – Using a Shortcut to Run Discoverer | 505 |
| | – <i>Exercise Sixteen</i> | 505 |
| Twenty | Miscellaneous Discoverer Usage | 508 |
| | – Registering PL/SQL Functions in Discoverer | 509 |
| | – Importing PL/SQL Functions in Discoverer | 511 |
| | – Registering PL/SQL Functions Manually | 516 |
| | – PL/SQL Functions Rules | 518 |
| | – Registering Packages in Discoverer | 519 |
| | – Oops Objects in Discoverer Administrator | 521 |

Discoverer 10g Administration

| Section | Title | Page |
|-------------------|---|-------------|
| Twenty One | Help Facility | 522 |
| | - Help Topics in Discoverer Administrator | 523 |
| | - Using Help in Discoverer Administrator | 525 |
| | - Discoverer Administrator Manuals | 526 |
| | - Discoverer Database Information | 527 |
| | - About OracleBI Discoverer | 528 |
| | - <i>Exercise Seventeen</i> | 529 |

Appendices :

- Appendix DA1** - **SQL Functions**
- Appendix DA2** - **SQL Number Formats**
- Appendix DA3** - **SQL Date Formats**
- Appendix DA4** - **Comparison Operators**
- Appendix DA5** - **Shortcut Keys**
- Appendix DA6** - **Command Line Options**
- Appendix DA7** - **EUL Tables**
- Appendix DA8** - **Product Tables**
- Appendix DA9** - **Stock Tables**

Delegate Questionnaire