



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|--|--|-----------|
| One | Tree Walking Tables in SQL Worksheet | 2 |
| | - Introduction | 3 |
| | - Syntax for Tree Walking | 6 |
| | - Using LPAD with Tree Walking | 11 |
| | - Using Order Siblings By in Tree Walks | 13 |
| | - Using Sys_Connect_By_Path in Tree Walks | 14 |
| | - <i>Exercise Eight</i> | 16 |
| Two | Sub-Queries in Oracle SQL | 21 |
| | - Introduction | 22 |
| | - Using Equals | 23 |
| | - In and Not In | 26 |
| | - Exists | 28 |
| | - Any / Some | 29 |
| | - All | 30 |
| | - Correlated Queries | 31 |
| | - Correlated Updates and Deletes | 33 |
| | - Inline Views | 34 |
| | - Inline View Example | 35 |
| | - Sub-Queries in a Select Statement | 36 |
| | - Sub-Query Factoring (Using With) | 37 |
| | - Sub-Query Factoring Example with Aliases | 39 |
| - Sub-Query Factoring Example with Joins | 40 | |
| Three | Advanced SQL Query Techniques | 41 |
| | - Introduction | 42 |
| | - Using First_Value/Last_Value | 43 |
| | - ORA-30484: missing window specification | 46 |
| | - Breakdown of Window Specification | 47 |
| | - Window Specification - The Arguments | 49 |
| | - Window Specification - Query Partition | 50 |
| | - Window Specification - The Order By | 52 |
| | - Window Specification - The Windowing | 54 |
| | - Window Specification - Rows between | 56 |
| | - Difference between Range and Rows | 63 |
| | - Using Lead and Lag | 66 |
| | - Using the Rank Function | 69 |
| | - Using the Rank Function with partition by | 71 |
| | - Using the Ntile Function | 72 |
| | - Using Width_Bucket Function | 74 |
| | - Using Width_Bucket Function in SQL Worksheet | 76 |
| | - Pivot | 77 |
| | - Adding a Total to a Pivot | 84 |
| | - Changing the Pivot Headings of X Axis | 85 |
| | - Unpivot | 87 |
| - Using Listagg Function in SQL | 90 | |
| - Using Case Function | 92 | |
| - Nesting the Case Function | 95 | |
| - Subqueries in the Case Function | 96 | |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|--------------|--|------------|
| | - Using Ratio_To_Report Function | 97 |
| | - Fetch first rows of a Table (Top-N) | 99 |
| | - Using Percent with Fetch | 101 |
| | - Using Offset with Fetch | 102 |
| | - Using With Ties with Fetch | 103 |
| Four | Using Alternative Quoting Mechanism | 104 |
| | - Introduction to AQM | 105 |
| | - Using Alternative Quoting Mechanism | 106 |
| | - <i>Exercise Two</i> | 108 |
| Five | Committing Records | 116 |
| | - DML Changes | 118 |
| | - DML Changes in SQLcl | 123 |
| | - DDL Changes | 124 |
| Six | Data Manipulation in SQL Developer | 125 |
| | - General Comments | 127 |
| | - Updating a record in Data | 128 |
| | - ORA-00001: unique constraint violated | 130 |
| | - Reverting Changes using Refresh | 131 |
| | - Updating a table with a trigger in Data | 132 |
| | - ORA-04088: error during execution of trigger | 133 |
| | - Deleting a record in Data | 134 |
| | - ORA-02292: integrity constraint violated | 135 |
| | - Rules When Populating Tables | 136 |
| | - Inserting a record in Data | 137 |
| Seven | Data Manipulation in SQL Worksheet | 139 |
| | - Introduction | 140 |
| | - SQL Syntax for Populating Tables | 142 |
| | - SQL Syntax for Populating Tables (multiple insert) | 147 |
| | - Inserting Data using the SQL Worksheet | 150 |
| | - Saving the Insert statement | 156 |
| | - Substitution Variables | 157 |
| | - Updating Data in SQL Worksheet | 161 |
| | - Deleting Data in SQL Worksheet | 166 |
| | - Deleting Records using Truncate | 169 |
| | - <i>Exercise Three</i> | 171 |
| Eight | SQLcl in SQL Developer | 178 |
| | - Introduction | 179 |
| | - Running the SQLcl product | 180 |
| | - How to log into SQLcl | 181 |
| | - Anatomy of SQLcl | 185 |
| | - How to exit an SQLcl Session | 186 |
| | - Copying and pasting in SQLcl | 187 |
| | - Using the Line Editor in SQLcl | 189 |
| | - Re-defining Line Editor in SQLcl using define_editor | 192 |
| | - SQLcl Environment Settings | 192 |
| | - Opening files in SQLcl | 194 |
| | - Saving SQL in SQLcl | 196 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|---------|--|------|
| | - Changing the SQLcl Prompt | 198 |
| | - Clearing SQLcl screen | 201 |
| | - Alias | 202 |
| | - Statusbar | 207 |
| | - Spool to Zip | 210 |
| | - Repeat | 211 |
| | - Highlighting | 213 |
| | - Help Alias | 214 |
| | - glogin.sql, login.sql, startup.sql | 215 |
| | - Creating login.sql | 216 |
| | - Saving settings within SQLcl | 218 |
| | - Using SQLcl within Worksheet | 221 |
| | - Help | 222 |
| | - Help Set | 224 |
| | - Help reserved_words | 225 |
| | - The purpose of describe | 226 |
| | - Using spool to write the output to files | 227 |
| | - Producing DDL | 230 |
| | - Info | 231 |
| | - SQLFormat | 232 |
| | - Load, Unload and LoadFormat | 235 |
| | - Displaying all Environment Settings | 244 |
| | - Set Heading off | 245 |
| | - Set Pause on | 246 |
| | - Set Pagesize | 247 |
| | - Set Linesize | 249 |
| | - Set Wrap | 250 |
| | - Show All | 251 |
| | - Renaming Columns for the Session | 252 |
| | - Wrapping Columns | 256 |
| | - Justifying Column Headings | 258 |
| | - Suppressing Columns | 259 |
| | - Truncate Columns | 260 |
| | - Viewing Columns | 261 |
| | - Viewing All Columns | 262 |
| | - Temporarily Disabling Columns | 263 |
| | - Clearing Columns | 264 |
| | - Using Columns to deal with Nulls | 265 |
| | - Using Break in the Output | 266 |
| | - Using Aliases with Break | 268 |
| | - Using Skip with Break | 269 |
| | - Using Skip Row with Break | 270 |
| | - Displaying Duplicates with Break | 271 |
| | - Viewing/Clearing Breaks | 272 |
| | - Using Compute with Break | 273 |
| | - Using Compute Labels with Break | 275 |
| | - Using Compute Sub-totaling with Break | 278 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|-------------|---|------------|
| | - Combining Computes | 279 |
| | - Setting Titles for the Output | 280 |
| | - Using SQL.PNO in the Title | 284 |
| | - Using Variables in the Title | 286 |
| | - Using Btitle | 289 |
| | - Reviewing the Title settings | 291 |
| | - Suppressing the Title settings | 292 |
| | - <i>Exercise Four</i> | 293 |
| Nine | Table Manipulation in SQL Developer | 299 |
| | - Creating Columns for Tables | 300 |
| | - Naming Tables and Columns | 301 |
| | - Creating Tables | 303 |
| | - Creating Columns | 306 |
| | - Column Datatypes | 307 |
| | - Creating Mandatory Columns | 309 |
| | - Creating Indexes for Tables | 310 |
| | - Default | 312 |
| | - Table Creation DDL | 314 |
| | - Creation Syntax for Tables | 315 |
| | - Comments for Columns | 316 |
| | - Comments for Tables | 320 |
| | - User_Tab_Comments | 323 |
| | - User_Col_Comments | 324 |
| | - Renaming a Table | 325 |
| | - Creating a Table by copying an existing one | 328 |
| | - Copying Tables SQL Syntax | 330 |
| | - Dropping Tables | 333 |
| | - Dropping Tables (Cascade Constraints) | 335 |
| | - Dropping Tables (Purge) | 336 |
| | - Dropping Tables (Flashback to Before Drop) | 339 |
| | - Dropping Tables SQL Syntax | 341 |
| | - Restoring Tables from Recycle SQL Syntax | 343 |
| | - Altering Columns | 346 |
| | - Renaming Columns | 348 |
| | - Renaming Columns Syntax | 350 |
| | - ORA-00957: Duplicate Column Name | 351 |
| | - Adding Columns | 352 |
| | - ORA-00910: specified length too long for its datatype | 353 |
| | - Adding Columns SQL Syntax | 354 |
| | - Dropping Columns | 356 |
| | - ORA-12992: Cannot drop parent key column | 357 |
| | - Dropping Columns Syntax | 358 |
| | - Modifying Columns Syntax | 359 |
| | - Rules for Modifying Columns | 360 |
| | - Multiple Column Modification | 361 |
| | - Normalizing Columns | 362 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|---------------|---|------------|
| Ten | Table Constraints and Indexes | 365 |
| | - Introduction | 366 |
| | - Creating Indexes in SQL | 369 |
| | - Add Primary Key | 372 |
| | - ORA-02260: Table can have only one primary key | 374 |
| | - Add Unique Key | 375 |
| | - Add Foreign Key | 377 |
| | - ORA-02267: column type incompatible with type | 379 |
| | - ORA-02270: no matching unique or primary key | 380 |
| | - Non-Unique Index | 381 |
| | - Primary Key Creation in SQLcl | 383 |
| | - Primary Key Creation in SQL | 384 |
| | - Foreign Key DDL | 385 |
| | - Unique Key Creation in SQL | 386 |
| | - Non-Unique Index DDL | 388 |
| | - Disabling Indexes in SQL Developer | 389 |
| | - Disabling Indexes in SQLcl | 391 |
| | - Check Constraints | 392 |
| | - Add Check | 393 |
| | - ORA-02293: cannot validate– check constraint violated | 394 |
| | - Check Constraint Syntax in SQLcl | 395 |
| | - Drop | 399 |
| Eleven | Sequences | 400 |
| | - Introduction | 401 |
| | - Creating Sequences | 402 |
| | - Viewing Sequences | 404 |
| | - Editing Sequences | 405 |
| | - Using Sequences | 406 |
| | - Dropping Sequences | 407 |
| | - <i>Exercise Five</i> | 408 |
| Twelve | Views | 416 |
| | - Introduction | 417 |
| | - Creating Views Syntax | 419 |
| | - New View | 422 |
| | - Creating Views | 423 |
| | - ORA-00936: Missing expression | 426 |
| | - Check Syntax | 427 |
| | - Query Restriction | 429 |
| | - Force on Create | 431 |
| | - Updating using Views | 432 |
| | - ORA-42399: Cannot perform a DML on a read-only | 433 |
| | - Renaming Views SQL Syntax | 434 |
| | - Renaming Views | 435 |
| | - Dropping a View SQL Syntax | 436 |
| | - Dropping a View | 437 |
| | - Compiling a View | 438 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|------------------|---|------------|
| Thirteen | Materialized Views | 440 |
| | - Introduction | 441 |
| | - Creating Simple Materialized Views | 443 |
| | - New Materialized View | 446 |
| | - Refresh Options | 447 |
| | - Refresh Method | 457 |
| | - Fast Refresh and Materialized View Logs | 459 |
| | - Key Type | 466 |
| | - Editing Materialized Views | 467 |
| | - Viewing Materialized Views | 470 |
| | - Dropping Materialized Views | 471 |
| | - Synchronizing Materialized Views | 473 |
| | - <i>Exercise Six</i> | 475 |
| Fourteen | Accessing Objects | 480 |
| | - Introduction | 481 |
| | - Privileges | 482 |
| | - Granting Privileges | 484 |
| | - Revoking Privileges | 485 |
| | - Viewing Privileges | 486 |
| | - ORA-01031: Insufficient Privileges | 487 |
| | - Granting Privileges Syntax | 488 |
| | - Revoking Privileges Syntax | 490 |
| | - Accessing other Schemas | 491 |
| | - Accessing other Schemas with SQL Worksheet | 493 |
| | - Accessing other Schemas with Synonyms | 494 |
| | - ORA-00955: Name is already used | 499 |
| | - Synonym SQL Syntax | 500 |
| | - Dropping Synonyms | 501 |
| | - Dropping Synonyms Syntax | 502 |
| | - Public Synonyms | 503 |
| Fifteen | Virtual Columns | 504 |
| | - Creating Virtual Columns with new Table | 506 |
| | - Adding Virtual Columns to Existing Table | 507 |
| | - Using Virtual Columns | 510 |
| | - Using Virtual Columns in SQLcl | 511 |
| | - Using Virtual Columns with Functions | 513 |
| | - ORA-54002: only pure functions can be specified | 514 |
| | - ORA-54012: virtual column is referenced in a column | 515 |
| | - ORA-54015: Duplicate column expression specified | 516 |
| | - ORA-54013: INSERT disallowed on virtual columns | 517 |
| | - ORA-54017: UPDATE disallowed on virtual columns | 518 |
| Sixteen | Invisible Columns | 519 |
| | - ORA-54034: column to be dropped or modified is used | 524 |
| Seventeen | Oracle Directories | 525 |
| | - Introduction | 526 |
| | - Creating Directories | 527 |
| | - Dropping Directories | 532 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|-----------------|--|------------|
| Eighteen | External Tables | 534 |
| | - Introduction | 535 |
| | - Creating using SQL Developer | 536 |
| | - Columns | 538 |
| | - External Table Properties | 541 |
| | - Access Parameters | 545 |
| | - Access Parameters (Load When) | 546 |
| | - Using Load When with Position | 549 |
| | - Access Parameters (Audit Tables) | 550 |
| | - Access Parameters (Logfile) | 553 |
| | - Access Parameters (Badfile) | 556 |
| | - Access Parameters (Discardfile) | 557 |
| | - Access Parameters (Skip) | 558 |
| | - Access Parameters (terminated by) | 559 |
| | - Access Parameters (missing field values) | 560 |
| | - Access Parameters (Reject Rows With all Null Fields) | 561 |
| | - Access Parameters (Tab Separated) | 562 |
| | - Access Parameters (Trimming values) | 563 |
| | - Access Parameters (external file columns) | 564 |
| | - Access Parameters - Defining Fields | 566 |
| | - Location Specifier | 567 |
| | - Multiple Flat Files | 568 |
| | - Creating External Tables Syntax | 569 |
| | - Access Parameters for Fixed Length Files | 572 |
| | - Editing External Tables | 576 |
| | - Using Alter Table with External Tables | 577 |
| | - Using Oracle Datapump | 579 |
| | - Creating Oracle Datapump flat files | 580 |
| | - Accessing Oracle Datapump flat files | 584 |
| | - Overwriting the Flat File | 585 |
| | - Metadata for External Tables | 586 |
| | - <i>Exercise Seven</i> | 588 |
| Nineteen | Importing External Data | 591 |
| | - Introduction | 592 |
| | - Beginning the Import | 593 |
| | - Step 1 Using CSV | 595 |
| | - Step 1 Using Excel | 597 |
| | - Step 1 | 598 |
| | - Step 2 | 599 |
| | - Step 2 (Insert Script) | 600 |
| | - Step 3 (Choose Columns) | 602 |
| | - Step 4 (Choose Definitions) | 603 |
| | - Step 5 (Finish) | 604 |
| | - Step 2 (Staging External Table) | 607 |
| | - Step 3 (Column Definition) | 608 |
| | - Step 4 (Options) | 609 |
| | - Step 5 (Finish) | 610 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|-------------------|-------------------------------------|------------|
| | - Step 2 (SQL Loader Utility) | 612 |
| | - Cutting and pasting xls files | 613 |
| Twenty | Export the Schema | 615 |
| | - Introduction | 616 |
| | - Object by Object | 617 |
| | - Exporting DDL and DML | 618 |
| | - Export Wizard (Step One) | 620 |
| | - Pretty Print | 621 |
| | - Show Schema / Grants | 622 |
| | - Byte | 623 |
| | - Terminator | 624 |
| | - Force to Views | 625 |
| | - Drops | 626 |
| | - Cascade Drops | 627 |
| | - Storage | 628 |
| | - Dependents | 629 |
| | - Compatible | 631 |
| | - DDL and/or DML | 632 |
| | - Export Data | 633 |
| | - Exporting to CSV | 634 |
| | - Exporting to Delimited | 635 |
| | - Exporting to Excel | 636 |
| | - Exporting to Excel.xml | 637 |
| | - Exporting to Fixed | 638 |
| | - Exporting to HTML | 639 |
| | - Exporting to Insert | 641 |
| | - Exporting to Json | 642 |
| | - Exporting to Loader | 643 |
| | - Exporting to t2 | 644 |
| | - Exporting to Text | 645 |
| | - Exporting to XML | 646 |
| | - Destination | 647 |
| | - Specify Data (Step 2) | 649 |
| | - Export Summary (Step 3) | 653 |
| | - Selection in the Connections Pane | 654 |
| Twenty One | SQL Developer Reports | 656 |
| | - Introduction | 657 |
| | - User Defined Reports | 659 |
| | - Creating User Defined Reports | 660 |
| | - New Report | 661 |
| | - Master Report | 662 |
| | - Table | 664 |
| | - Editing / Advanced Options | 667 |
| | - SQL Query | 668 |
| | - Binds | 669 |
| | - Refreshing | 673 |
| | - Child Reports | 675 |



Using SQL with SQL Developer 17.4 Part II

| Section | Title | Page |
|-------------------|------------------------------------|------------|
| | - Multiple Child Reports | 681 |
| | - Drill Down | 683 |
| | - Styles | 687 |
| | - Chart | 688 |
| | - Bar | 690 |
| | - Properties | 692 |
| | - Pie | 693 |
| | - Line | 695 |
| | - Area | 697 |
| | - Combination | 699 |
| | - Scatter | 700 |
| | - Bubble | 702 |
| | - Stock (Candlestick graph) | 703 |
| | - Polar | 705 |
| | - Pareto | 707 |
| | - Funnel | 709 |
| | - 3D | 710 |
| | - Gauge | 711 |
| | - Code | 713 |
| | - Script | 716 |
| | - PL/SQL DBMS Output | 718 |
| | - Child Reports with Charts | 720 |
| | - Refresh | 724 |
| | - New Folder | 725 |
| Twenty Two | SQL Developer Help Facility | 726 |
| | - Introduction | 727 |
| | - Search and Table of Contents | 728 |
| | - Start Page | 729 |
| | - Data Miner | 730 |
| | - Check for Updates | 731 |
| | - About | 732 |
| | - <i>Exercise Eight</i> | 733 |

Appendices

- Appendix S1 – SQL Functions**
- Appendix S2 – SQL Number Formats**
- Appendix S3 – SQL Date Formats**

Delegate Questionnaire