

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|--------------------|--------------------------------------|-----------|
| One | Introduction to SQL | 2 |
| | - Definition | 3 |
| | - Usage of SQL | 4 |
| | - What is SQL used for ? | 5 |
| | - Who uses SQL ? | 6 |
| | - Definition of a Database | 7 |
| | - What is SQL Developer ? | 8 |
| Two | The SQL Developer Interface | 9 |
| | - Introduction | 10 |
| | - SQL Developer Connections | 12 |
| | - Connections | 14 |
| | - Worksheet | 15 |
| Three | Connections | 16 |
| | - Toolbar and Menus | 16 |
| | Connections | 17 |
| | - Viewing Objects | 18 |
| | - Viewing Object Structure | 19 |
| | - Table Structure | 20 |
| | - Column Structure | 22 |
| | - Data Default | 27 |
| | - The Number Datatype | 28 |
| | - The Varchar2 Datatype | 29 |
| | - The Date Datatype | 30 |
| | - Large Objects | 31 |
| | - The BLOB Datatype | 32 |
| | - The CLOB Datatype | 33 |
| | - Object Details Dialog | 34 |
| Four | Object Details Dialog | 35 |
| | - Introduction | 36 |
| | - Columns Tab | 37 |
| | - Columns Tab (Resizing columns) | 38 |
| | - Columns Tab (Moving columns) | 39 |
| | - Columns Tab (Sorting columns) | 40 |
| | - Columns Tab (Filter) | 41 |
| | - Columns Tab (Icons) | 42 |
| | - Columns Tab (Right Click) | 43 |
| | - Data Tab | 44 |
| | - Data Tab (Single Record View) | 45 |
| | - Data Tab (Count Rows) | 47 |
| | - Data Tab (Viewing Blobs and Clobs) | 48 |
| | - Data Tab (Viewing Blobs) | 49 |
| | - Model Tab | 51 |
| | - Constraints Tab | 54 |
| | - Grants Tab | 55 |
| - Statistics Tab | 56 | |
| - Triggers Tab | 57 | |
| - Flashback Tab | 58 | |
| - Dependencies Tab | 59 | |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|--------------|---|------------|
| | - Details Tab | 60 |
| | - Partitions Tab | 61 |
| | - Indexes Tab | 62 |
| | - SQL Tab | 63 |
| | - <i>Exercise One</i> | 65 |
| Five | Limiting Records in the Data Tab | 76 |
| | - Introduction | 77 |
| | - Usage | 78 |
| | - Using Varchar2 and Dates | 79 |
| | - Case Sensitivity | 80 |
| | - Limiting Dates | 81 |
| | - Invalid Identifier | 82 |
| | - Invalid Number | 83 |
| | - Direct Comparison | 84 |
| | - Value Comparison | 86 |
| | - Column Comparison | 88 |
| | - Range Comparison | 89 |
| | - List Comparison | 92 |
| | - Wildcard Comparison | 95 |
| | - Null Values | 99 |
| | - Combining Filters | 100 |
| | - AND Filters | 101 |
| | - OR Filters | 102 |
| | - Complex Filters | 103 |
| | - <i>Exercise Two</i> | 104 |
| Six | Ordering Records in the Data Tab | 114 |
| | - Ordering Records in the Data Tab – Introduction | 115 |
| | - Ordering Records in the Data Tab – Examples | 116 |
| Seven | SQL Worksheet | 117 |
| | - Introduction | 118 |
| | - Opening in SQL Developer | 119 |
| | - Creating an SQL Statement | 120 |
| | - Executing an SQL Statement | 122 |
| | - Formatting the SQL Statement | 123 |
| | - SQL Syntax | 124 |
| | - Labelling Selected Columns (Column Aliases) | 126 |
| | - Using Literals | 130 |
| | - Database Variables and Sys.DUAL | 131 |
| | - Saving the SQL to a File | 133 |
| | - Opening and Executing a File | 135 |
| | - Commenting Out Lines | 136 |
| | - Identifying Amended Files | 138 |
| | - SQL History | 139 |
| | - Miscellaneous Commands | 140 |
| | - Query Result Buttons | 141 |
| | - Find / Highlight | 146 |
| | - Searching the Output | 147 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|---------------|---|------------|
| | - Searching the Output | 148 |
| | - <i>Exercise Three</i> | 149 |
| Eight | Manipulating SQL Output | 155 |
| | - Introduction | 156 |
| | - Functions | 157 |
| | - Upper and Lower | 160 |
| | - Round | 161 |
| | - Ceil and Floor | 163 |
| | - Count | 164 |
| | - Using '*' in Selections | 165 |
| | - Sum | 166 |
| | - To_Char | 167 |
| | - To_Char (Number Examples) | 168 |
| | - To_Char (Date Examples) | 170 |
| | - Substr | 172 |
| | - Substr Examples | 173 |
| | - Decode | 174 |
| | - Combining Functions | 176 |
| | - Concatenating Columns | 177 |
| | - Performing Mathematics | 179 |
| | - Performing Mathematics | 180 |
| Nine | Snippets | 181 |
| | - Introduction | 182 |
| | - Topography | 183 |
| | - Using Snippets with the SQL Worksheet | 184 |
| | - Adding User Defined Snippets | 187 |
| | - Editing User Defined Snippets | 191 |
| | - <i>Exercise Four</i> | 192 |
| Ten | Limiting Data in the SQL Worksheet | 201 |
| | - The Where Clause | 202 |
| | - Using Functions within the Where Clause | 204 |
| | - Using Lower with a Where Clause | 205 |
| | - Using Substr with a Where Clause | 206 |
| | - Using NVL with a Where Clause | 207 |
| | - Using To_Date with a Where Clause | 208 |
| | - Using Trunc with a Where Clause | 211 |
| | - Using Trunc with a Number | 212 |
| | - Using Trunc with a Date | 213 |
| | - Sub-Queries with a Where Clause | 214 |
| | - Exists with a Where Clause | 216 |
| | - Correlated Sub-Queries | 218 |
| | - Table Aliases | 219 |
| | - Advanced IN Sub-Queries | 220 |
| Eleven | Ordering Data in the SQL Worksheet | 222 |
| | - Introduction | 223 |
| | - Advanced Techniques | 224 |
| | - Advanced Techniques | 225 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-----------------|--|------------|
| | - Using Decode in Order By | 226 |
| | - <i>Exercise Five</i> | 228 |
| Twelve | Aggregating Values in SQL Worksheet | 233 |
| | - Introduction | 234 |
| | - Using Group By | 236 |
| | - Using Where with Group By | 238 |
| | - Using Having with Group By | 240 |
| | - Using Rollup to Total Grouping | 242 |
| | - <i>Exercise Six</i> | 247 |
| Thirteen | Joining Tables in an SQL Statement | 250 |
| | - Introduction | 251 |
| | - Linking Tables in an SQL Statement | 253 |
| | - Linking Tables using ANSI SQL/86 | 257 |
| | - Linking Tables in an SQL Statement | 258 |
| | - Cartesian Products in an SQL Statement | 259 |
| | - Problems with Joining Tables in SQL | 261 |
| | - Linking Tables using ANSI SQL/99 | 264 |
| | - Natural Join using ANSI SQL/99 | 265 |
| | - Cross Join using ANSI SQL/99 | 267 |
| | - Join using ANSI SQL/99 | 268 |
| | - Join On using ANSI SQL/99 | 269 |
| | - Outer Joins using ANSI SQL/99 | 270 |
| | - Left Outer Join using ANSI SQL/99 | 271 |
| | - Right Outer Join using ANSI SQL/99 | 272 |
| | - Full Outer Join using ANSI SQL/99 | 273 |
| | - Multiple Joins using ANSI SQL/99 | 274 |
| | - <i>Exercise Seven</i> | 275 |
| Fourteen | Query Builder in the SQL Worksheet | 278 |
| | - Introduction | 279 |
| | - Invoking Query Builder | 280 |
| | - Query Builder Topography | 282 |
| | - Selecting Tables | 286 |
| | - Checking Links | 287 |
| Fifteen | Using Views | 288 |
| | - Using Views – Database Views | 289 |
| | - Using Views – Materialized Views | 290 |
| Sixteen | Merging Tables in an SQL Statement | 291 |
| | - Merging Tables in SQL | 292 |
| | - Using Union to Merge Tables in SQL | 293 |
| | - Using Union All to Merge Tables in SQL | 294 |
| | - Using Intersect to Merge Tables in SQL | 295 |
| | - Using Minus to Merge Tables in SQL | 296 |
| | - Knowledge Check | 297 |
| | - Knowledge Check - Union | 298 |
| | - Knowledge Check - Union All | 299 |
| | - Knowledge Check - Intersect | 300 |
| | - Knowledge Check - Minus | 301 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|------------------|---|------------|
| | - Using the Merge Syntax in SQL | 302 |
| Seventeen | Regular Expressions in Oracle SQL | 304 |
| | - Introduction | 305 |
| | - Using REGEXP_LIKE in Where Clauses | 308 |
| | - Case Sensitivity | 310 |
| | - Line Anchors | 312 |
| | - Using the Dot (Any Character) | 314 |
| | - Counting Characters {Intervals} | 318 |
| | - Character Lists | 322 |
| | - Excluding Character Lists | 328 |
| | - Alternatives to Character Lists | 329 |
| | - Class Shorthands | 332 |
| | - Or Patterns (Alternatives) | 333 |
| | - Or Patterns with Character Lists | 334 |
| | - Using the Question Mark (Optional) | 335 |
| | - Using the Plus sign (Mandatory) | 338 |
| | - Using the Star sign (Optional) | 341 |
| | - Backreferencing | 342 |
| | - POSIX | 344 |
| | - Using POSIX in Oracle - [:upper] example | 346 |
| | - Using POSIX in Oracle - [:digit] example | 347 |
| | - Using POSIX in Oracle – Character equivalents | 348 |
| | - Using Regexp_count in SQL | 349 |
| | - Using Regexp_replace in SQL | 353 |
| | - Using Regexp_instr in SQL | 355 |
| | - Using Regexp_substr in SQL | 357 |
| | - Using Regular Expressions in Oracle | 359 |
| Eighteen | Exporting Data in SQL Developer | 360 |
| | - Introduction | 361 |
| | - File Types | 363 |
| | - Exporting to CSV | 364 |
| | - Exporting to Delimited | 366 |
| | - Exporting to Excel | 367 |
| | - Exporting to Excel.xml | 369 |
| | - Exporting to Fixed | 371 |
| | - Exporting to HTML | 373 |
| | - Insert | 376 |
| | - Json | 378 |
| | - Insert | 379 |
| | - Loader | 380 |
| | - Loader (ldr) | 381 |
| | - Loader (ctl) | 382 |
| | - PDF | 383 |
| | - Text | 385 |
| | - XML | 387 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-----------------|--|------------|
| Nineteen | SQL Developer Help Facility | 389 |
| | - Introduction | 390 |
| | - Search and Table of Contents | 391 |
| | - Start Page | 392 |
| | - Data Miner | 393 |
| | - Check for Updates | 394 |
| | - About | 395 |
| | - <i>Exercise Eight</i> | 396 |
| Part Two | | |
| One | Data Manipulation in SQL Developer | 2 |
| | - Introduction | 3 |
| | - Updating a record in Data | 4 |
| | - Updating a Primary Key in Data | 6 |
| | - Reverting Changes using Refresh | 7 |
| | - Updating a table with a trigger in Data | 8 |
| | - Deleting a record in Data | 10 |
| | - Deleting a record which has children | 11 |
| | - Inserting a record in Data | 12 |
| | - Problems manipulating data | 14 |
| Two | Data Manipulation in SQL Worksheet | 15 |
| | - Introduction | 16 |
| | - Inserting Records using SQL Worksheet | 17 |
| | - Rules When Populating Tables | 18 |
| | - SQL Syntax for Populating Tables | 19 |
| | - Using Sysdate To Populate Tables | 24 |
| | - General Comments | 25 |
| | - Inserting Data using the SQL Worksheet | 26 |
| | - Saving the Insert statement | 32 |
| | - Updating Data in SQL Worksheet | 33 |
| | - Deleting Records using Truncate | 40 |
| | - <i>Exercise One</i> | 42 |
| Three | Importing External Data | 52 |
| | - Introduction | 53 |
| | - Beginning the Import | 54 |
| | - Import method | 57 |
| | - Choose Columns | 58 |
| | - Column Definition | 60 |
| | - Finish | 62 |
| | - Importing xls files (Insert Script) | 64 |
| | - Importing xls files (Targeting Columns) | 65 |
| | - Cutting and pasting xls files | 66 |
| | - Importing csv files | 67 |
| | - <i>Exercise Two</i> | 68 |
| Four | Table Manipulation in SQL Developer | 69 |
| | - Creating Columns for Tables | 70 |
| | - Naming Tables and Columns | 71 |
| | - Creating Tables | 73 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-------------|---|------------|
| | - Creating Columns | 76 |
| | - Column Datatypes | 77 |
| | - Creating Mandatory Columns | 79 |
| | - Creating Indexes for Tables | 80 |
| | - Default | 82 |
| | - Table Creation DDL | 85 |
| | - Creation Syntax for Tables | 86 |
| | - Comments for Columns | 87 |
| | - Comments for Tables | 91 |
| | - Renaming a Table | 94 |
| | - Copying Tables SQL Syntax | 97 |
| | - Creating a Table by copying an existing one | 98 |
| | - Copying Tables SQL Syntax | 99 |
| | - Dropping Tables | 101 |
| | - Dropping Tables (Cascade Constraints) | 103 |
| | - Dropping Tables (Purge) | 104 |
| | - Dropping Tables (Flashback to Before Drop) | 107 |
| | - Dropping Tables SQL Syntax | 109 |
| | - Restoring Tables from Recycle SQL Syntax | 110 |
| | - Altering Columns | 111 |
| | - Renaming Columns | 113 |
| | - Renaming Columns Syntax | 115 |
| | - ORA-00957: Duplicate Column Name | 116 |
| | - Adding Columns | 117 |
| | - ORA-00910: specified length too long for its datatype | 118 |
| | - Adding Columns SQL Syntax | 119 |
| | - Dropping Columns | 121 |
| | - ORA-12992: Cannot drop parent key column | 122 |
| | - Dropping Columns Syntax | 123 |
| | - Modifying Columns Syntax | 124 |
| | - Rules for Modifying Columns | 125 |
| | - Multiple Column Modification | 126 |
| | - Normalizing Columns | 127 |
| Five | Table Constraints and Indexes | 130 |
| | - Introduction | 131 |
| | - Creating Indexes in SQL | 134 |
| | - Primary Key Creation in SQL | 137 |
| | - Add Primary Key | 139 |
| | - ORA-02260: Table can have only one primary key | 141 |
| | - Unique Key Creation in SQL | 142 |
| | - Add Unique Key | 144 |
| | - Add Foreign Key | 146 |
| | - ORA-02270: no matching unique or primary key | 149 |
| | - Non-Unique Index | 150 |
| | - Disabling Indexes in SQL | 153 |
| | - Check Constraints | 154 |
| | - ORA-02293: cannot validate – check constraint | 155 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|--------------|--|------------|
| | - Check Constraint Syntax | 156 |
| | - Add Check | 157 |
| | - Drop | 158 |
| | - Other options | 160 |
| | - Enable / Disable Related Foreign Keys / All / Single | 161 |
| | - Rename Single | 162 |
| | - <i>Exercise Three</i> | 163 |
| Six | Accessing Objects | 175 |
| | - Introduction | 176 |
| | - Privileges | 177 |
| | - Granting Privileges Syntax | 178 |
| | - Privileges | 180 |
| | - Granting Privileges | 181 |
| | - Revoking Privileges Syntax | 182 |
| | - Revoking Privileges | 183 |
| | - Viewing Privileges | 184 |
| | - Accessing other Schemas | 185 |
| | - ORA-01031: Insufficient Privileges | 187 |
| | - Accessing other Schemas with SQL Worksheet | 188 |
| | - Accessing other Schemas with Synonyms | 189 |
| | - Synonym SQL Syntax | 193 |
| | - ORA-00955: Name is already used | 194 |
| | - Dropping Synonyms | 195 |
| | - Dropping Synonyms Syntax | 196 |
| | - Public Synonyms | 197 |
| | - ORA-01031: Insufficient Privileges | 198 |
| | - <i>Exercise Four</i> | 199 |
| Seven | Virtual Columns | 201 |
| | - Introduction | 202 |
| | - Creating Virtual Columns with new Table | 203 |
| | - Specifying Virtual Column Datatype and Size | 204 |
| | - Adding Virtual Columns to Existing Table | 205 |
| | - Using Virtual Columns in SQL ... | 206 |
| | - Using Virtual Columns with Functions | 208 |
| | - ORA-54012: virtual column is referenced in a column | 209 |
| | - ORA-54015: Duplicate column expression specified | 210 |
| | - ORA-54013: INSERT disallowed on virtual columns | 211 |
| | - ORA-54017: UPDATE disallowed on virtual columns | 212 |
| Eight | Invisible Columns in Oracle 12c | 213 |
| | - <i>Exercise Five</i> | 218 |
| Nine | Views | 220 |
| | - Introduction | 221 |
| | - Creating Views Syntax | 223 |
| | - Create (simple) | 226 |
| | - Creating Views | 228 |
| | - ORA-00936: Missing expression | 230 |
| | - Properties | 231 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-----------------|--|------------|
| | - Force on Create | 232 |
| | - Query Restriction | 233 |
| | - Updating using Views | 235 |
| | - ORA-42399: Cannot perform a DML on a read-only | 236 |
| | - Renaming Views SQL Syntax | 237 |
| | - Renaming Views | 238 |
| | - Dropping a View SQL Syntax | 239 |
| | - Dropping a View | 240 |
| | - <i>Exercise Six</i> | 241 |
| Ten | Materialized Views | 245 |
| | - Introduction | 246 |
| | - Creating Simple Materialized Views | 248 |
| | - Refreshing Materialized Views | 252 |
| | - New Materialized View | 253 |
| | - New Materialized View | 254 |
| | - Refresh Options | 255 |
| | - Materialized Refresh Options | 256 |
| | - Time Interval | 257 |
| | - Materialized Time Interval | 258 |
| | - Fast Refresh and Materialized View Logs | 259 |
| | - Key Type | 264 |
| | - Editing Materialized Views | 265 |
| | - Viewing Materialized Views | 268 |
| | - Dropping Materialized Views | 269 |
| | - Synchronizing Materialized Views | 270 |
| | - <i>Exercise Seven</i> | 271 |
| Eleven | Sequences | 274 |
| | - Introduction | 275 |
| | - Creating Sequences | 276 |
| | - Viewing Sequences | 278 |
| | - Editing Sequences | 279 |
| | - Using Sequences | 280 |
| | - Dropping Sequences | 281 |
| Twelve | Tree Walking Tables in SQL Worksheet | 282 |
| | - Introduction | 283 |
| | - Syntax for Tree Walking | 286 |
| | - Example of Tree Walking | 287 |
| | - Using LPAD with Tree Walking | 290 |
| | - Using Order Siblings By in Tree Walks | 292 |
| | - Using Sys_Connect_By_Path in Tree Walks | 293 |
| | - <i>Exercise Eight</i> | 295 |
| Thirteen | Sub-Queries in Oracle SQL | 299 |
| | - Introduction | 300 |
| | - Using Equals | 301 |
| | - In and Not In | 304 |
| | - Exists | 306 |
| | - Any | 307 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-----------------|--|------------|
| | - Some | 308 |
| | - All | 309 |
| | - Correlated Queries | 310 |
| | - Correlated Updates and Deletes | 311 |
| | - Inline Views | 312 |
| | - Inline View Example | 313 |
| | - Sub-Queries in a Select Statement | 314 |
| | - Sub-Query Factoring (Using With) | 315 |
| | - Sub-Query Factoring Example with Aliases | 317 |
| | - Sub-Query Factoring Example with Joins | 318 |
| Fourteen | Advanced SQL Query Techniques | 319 |
| | - Introduction | 320 |
| | - Using First_Value/Last_Value | 321 |
| | - Window Specification | 323 |
| | - Breakdown of Window Specification | 324 |
| | - Window Specification - The Arguments | 326 |
| | - Window Specification - Query Partition | 327 |
| | - Window Specification - The Order By | 329 |
| | - Window Specification - The Windowing | 331 |
| | - Window Specification - Rows between | 333 |
| | - Window Specification - Shortcuts | 337 |
| | - Difference between Range and Rows | 338 |
| | - Using Lead and Lag | 341 |
| | - Using Case Function | 343 |
| | - Nesting the Case Function | 346 |
| | - Subqueries in the Case Function | 347 |
| | - Using the Rank Function | 348 |
| | - Using the Ntile Function | 351 |
| | - Using Width_Bucket Function | 352 |
| | - Using Width_Bucket Function in SQL Worksheet | 353 |
| | - Pivot | 354 |
| | - Adding a Total to a Pivot | 358 |
| | - Changing the Pivot Headings of X Axis | 359 |
| | - Rotating the Axis of the Pivot | 360 |
| | - Unpivot | 361 |
| | - Unpivot and Null values | 364 |
| | - Using Listagg Function in SQL | 365 |
| | - <i>Exercise Nine</i> | 367 |
| Fifteen | - Section Fifteen – Using Merge Into | 375 |
| | - Introduction | 376 |
| | - SQL Syntax | 377 |
| Sixteen | Export DDL (and Data) | 380 |
| | - Introduction | 381 |
| | - Object by Object | 382 |
| | - Exporting DDL and DML | 383 |
| | - Export Wizard (Step One) | 385 |
| | - Pretty Print | 386 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|------------------|---------------------------------|------------|
| | - Show Schema / Grants | 387 |
| | - Byte | 388 |
| | - Terminator | 389 |
| | - Force to Views | 391 |
| | - Drops | 392 |
| | - Cascade Drops | 393 |
| | - Storage | 394 |
| | - Dependents | 395 |
| | - Compatible | 397 |
| Seventeen | SQL Developer Reports | 398 |
| | - Introduction | 399 |
| | - User Defined Reports | 401 |
| | - Creating User Defined Reports | 402 |
| | - New Folder | 403 |
| | - New Report | 404 |
| | - Master Report | 405 |
| | - Table | 407 |
| | - Editing / Advanced Options | 408 |
| | - SQL Query | 409 |
| | - Binds | 410 |
| | - Refreshing | 415 |
| | - Child Reports | 416 |
| | - Multiple Child Reports | 421 |
| | - Drill Down | 422 |
| | - PDF | 426 |
| | - PDF (Binary Large Object) | 428 |
| | - PDF (Cell Layout) | 430 |
| | - PDF (Column Layout) | 431 |
| | - PDF (Table Layout) | 432 |
| | - PDF (Header and Footer) | 433 |
| | - PDF (Page Layout) | 434 |
| | - Styles | 435 |
| | - Chart | 436 |
| | - Bar | 438 |
| | - Properties | 440 |
| | - Pie | 444 |
| | - Line | 446 |
| | - Area | 448 |
| | - Combination | 449 |
| | - Scatter | 450 |
| | - Bubble | 451 |
| | - Stock | 452 |
| | - Polar | 453 |
| | - Pareto | 454 |
| | - Funnel | 455 |
| | - 3D | 456 |
| | - Gauge | 457 |

Using SQL with SQL Developer 18.1

| Section | Title | Page |
|-------------------------------|---|------------|
| | - Script | 459 |
| | - Child Reports with Charts | 460 |
| | - Refresh | 462 |
| Eighteen | SQL Developer Help Facility | 463 |
| | - Introduction | 464 |
| | - Search and Table of Contents | 465 |
| | - Start Page | 466 |
| | - Data Miner | 467 |
| | - Check for Updates | 468 |
| | - About | 469 |
| | - <i>Exercise Ten</i> | 470 |
| Appendices | | |
| | Appendix S1 – SQL Functions | |
| | Appendix S2 – SQL Number Formats | |
| | Appendix S3 – SQL Date Formats | |
| Delegate Questionnaire | | |