



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
One	<b>Tree Walking Tables in SQL Worksheet</b>	<b>2</b>
	- Introduction	3
	- Syntax for Tree Walking	6
	- Using LPAD with Tree Walking	11
	- Using Order Siblings By in Tree Walks	13
	- Using Sys_Connect_By_Path in Tree Walks	14
	- <i>Exercise Eight</i>	16
Two	<b>Sub-Queries in Oracle SQL</b>	<b>21</b>
	- Introduction	22
	- Using Equals	23
	- In and Not In	26
	- Exists	28
	- Any / Some	29
	- All	30
	- Correlated Queries	31
	- Correlated Updates and Deletes	33
	- Inline Views	34
	- Inline View Example	35
	- Sub-Queries in a Select Statement	36
	- Sub-Query Factoring (Using With)	37
	- Sub-Query Factoring Example with Aliases	39
	- Sub-Query Factoring Example with Joins	40
Three	<b>Advanced SQL Query Techniques</b>	<b>41</b>
	- Introduction	42
	- Using First_Value/Last_Value	43
	- ORA-30484: missing window specification	46
	- Breakdown of Window Specification	47
	- Window Specification - The Arguments	49
	- Window Specification - Query Partition	50
	- Window Specification - The Order By	52
	- Window Specification - The Windowing	54
	- Window Specification - Rows between	56
	- Difference between Range and Rows	63
	- Using Lead and Lag	66
	- Using the Rank Function	69
	- Using the Rank Function with partition by	71
	- Using the Ntile Function	72
	- Using Width_Bucket Function	74
	- Using Width_Bucket Function in SQL Worksheet	76
	- Pivot	77
	- Adding a Total to a Pivot	84
	- Changing the Pivot Headings of X Axis	85
- Unpivot	87	
- Using Listagg Function in SQL	90	
- Using Case Function	92	
- Nesting the Case Function	95	
- Subqueries in the Case Function	96	



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
	- Using Ratio_To_Report Function	97
	- Fetch first rows of a Table (Top-N)	99
	- Using Percent with Fetch	101
	- Using Offset with Fetch	102
	- Using With Ties with Fetch	103
<b>Four</b>	<b>Using Alternative Quoting Mechanism</b>	<b>104</b>
	- Introduction to AQM	105
	- Using Alternative Quoting Mechanism	106
	- <i>Exercise Two</i>	108
<b>Five</b>	<b>Committing Records</b>	<b>116</b>
	- DML Changes	118
	- DML Changes in SQLcl	123
	- DDL Changes	124
<b>Six</b>	<b>Data Manipulation in SQL Developer</b>	<b>125</b>
	- General Comments	127
	- Updating a record in Data	128
	- ORA-00001: unique constraint violated	130
	- Reverting Changes using Refresh	131
	- Updating a table with a trigger in Data	132
	- ORA-04088: error during execution of trigger	133
	- Deleting a record in Data	134
	- ORA-02292: integrity constraint violated	135
	- Rules When Populating Tables	136
	- Inserting a record in Data	137
<b>Seven</b>	<b>Data Manipulation in SQL Worksheet</b>	<b>139</b>
	- Introduction	140
	- SQL Syntax for Populating Tables	142
	- SQL Syntax for Populating Tables (multiple insert)	147
	- Inserting Data using the SQL Worksheet	150
	- Saving the Insert statement	156
	- Substitution Variables	157
	- Updating Data in SQL Worksheet	161
	- Deleting Data in SQL Worksheet	166
	- Deleting Records using Truncate	169
	- <i>Exercise Three</i>	171
<b>Eight</b>	<b>SQLcl in SQL Developer</b>	<b>178</b>
	- Introduction	179
	- Running the SQLcl product	180
	- How to log into SQLcl	181
	- Anatomy of SQLcl	185
	- How to exit an SQLcl Session	186
	- Copying and pasting in SQLcl	187
	- Using the Line Editor in SQLcl	189
	- Re-defining Line Editor in SQLcl using define_editor	192
	- SQLcl Environment Settings	192
	- Opening files in SQLcl	194
	- Saving SQL in SQLcl	196



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
	- Changing the SQLcl Prompt	198
	- Clearing SQLcl screen	201
	- Alias	202
	- Statusbar	207
	- Spool to Zip	210
	- Repeat	211
	- Highlighting	213
	- Help Alias	214
	- glogin.sql, login.sql, startup.sql	215
	- Creating login.sql	216
	- Saving settings within SQLcl	218
	- Using SQLcl within Worksheet	221
	- Help	222
	- Help Set	224
	- Help reserved_words	225
	- The purpose of describe	226
	- Using spool to write the output to files	227
	- Producing DDL	230
	- Info	231
	- SQLFormat	232
	- Load, Unload and LoadFormat	235
	- Displaying all Environment Settings	244
	- Set Heading off	245
	- Set Pause on	246
	- Set Pagesize	247
	- Set Linesize	249
	- Set Wrap	250
	- Show All	251
	- Renaming Columns for the Session	252
	- Wrapping Columns	256
	- Justifying Column Headings	258
	- Suppressing Columns	259
	- Truncate Columns	260
	- Viewing Columns	261
	- Viewing All Columns	262
	- Temporarily Disabling Columns	263
	- Clearing Columns	264
	- Using Columns to deal with Nulls	265
	- Using Break in the Output	266
	- Using Aliases with Break	268
	- Using Skip with Break	269
	- Using Skip Row with Break	270
	- Displaying Duplicates with Break	271
	- Viewing/Clearing Breaks	272
	- Using Compute with Break	273
	- Using Compute Labels with Break	275
	- Using Compute Sub-totaling with Break	278



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
	- Combining Computes	279
	- Setting Titles for the Output	280
	- Using SQL.PNO in the Title	284
	- Using Variables in the Title	286
	- Using Btitle	289
	- Reviewing the Title settings	291
	- Suppressing the Title settings	292
	- <i>Exercise Four</i>	293
<b>Nine</b>	<b>Table Manipulation in SQL Developer</b>	<b>299</b>
	- Creating Columns for Tables	300
	- Naming Tables and Columns	301
	- Creating Tables	303
	- Creating Columns	306
	- Column Datatypes	307
	- Creating Mandatory Columns	309
	- Creating Indexes for Tables	310
	- Default	312
	- Table Creation DDL	314
	- Creation Syntax for Tables	315
	- Comments for Columns	316
	- Comments for Tables	320
	- User_Tab_Comments	323
	- User_Col_Comments	324
	- Renaming a Table	325
	- Creating a Table by copying an existing one	328
	- Copying Tables SQL Syntax	330
	- Dropping Tables	333
	- Dropping Tables (Cascade Constraints)	335
	- Dropping Tables (Purge)	336
	- Dropping Tables (Flashback to Before Drop)	339
	- Dropping Tables SQL Syntax	341
	- Restoring Tables from Recycle SQL Syntax	343
	- Altering Columns	346
	- Renaming Columns	348
	- Renaming Columns Syntax	350
	- ORA-00957: Duplicate Column Name	351
	- Adding Columns	352
	- ORA-00910: specified length too long for its datatype	353
	- Adding Columns SQL Syntax	354
	- Dropping Columns	356
	- ORA-12992: Cannot drop parent key column	357
	- Dropping Columns Syntax	358
	- Modifying Columns Syntax	359
	- Rules for Modifying Columns	360
	- Multiple Column Modification	361
	- Normalizing Columns	362



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
<b>Ten</b>	<b>Table Constraints and Indexes</b>	<b>365</b>
	- Introduction	366
	- Creating Indexes in SQL	369
	- Add Primary Key	372
	- ORA-02260: Table can have only one primary key	374
	- Add Unique Key	375
	- Add Foreign Key	377
	- ORA-02267: column type incompatible with type	379
	- ORA-02270: no matching unique or primary key	380
	- Non-Unique Index	381
	- Primary Key Creation in SQLcl	383
	- Primary Key Creation in SQL	384
	- Foreign Key DDL	385
	- Unique Key Creation in SQL	386
	- Non-Unique Index DDL	388
	- Disabling Indexes in SQL Developer	389
	- Disabling Indexes in SQLcl	391
	- Check Constraints	392
	- Add Check	393
	- ORA-02293: cannot validate– check constraint violated	394
	- Check Constraint Syntax in SQLcl	395
	- Drop	399
<b>Eleven</b>	<b>Sequences</b>	<b>400</b>
	- Introduction	401
	- Creating Sequences	402
	- Viewing Sequences	404
	- Editing Sequences	405
	- Using Sequences	406
	- Dropping Sequences	407
	- <i>Exercise Five</i>	408
<b>Twelve</b>	<b>Views</b>	<b>416</b>
	- Introduction	417
	- Creating Views Syntax	419
	- New View	422
	- Creating Views	423
	- ORA-00936: Missing expression	426
	- Check Syntax	427
	- Query Restriction	429
	- Force on Create	431
	- Updating using Views	432
	- ORA-42399: Cannot perform a DML on a read-only	433
	- Renaming Views SQL Syntax	434
	- Renaming Views	435
	- Dropping a View SQL Syntax	436
	- Dropping a View	437
	- Compiling a View	438



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
<b>Thirteen</b>	<b>Materialized Views</b>	<b>440</b>
	- Introduction	441
	- Creating Simple Materialized Views	443
	- New Materialized View	446
	- Refresh Options	447
	- Refresh Method	457
	- Fast Refresh and Materialized View Logs	459
	- Key Type	466
	- Editing Materialized Views	467
	- Viewing Materialized Views	470
	- Dropping Materialized Views	471
	- Synchronizing Materialized Views	473
	- <i>Exercise Six</i>	475
<b>Fourteen</b>	<b>Accessing Objects</b>	<b>480</b>
	- Introduction	481
	- Privileges	482
	- Granting Privileges	484
	- Revoking Privileges	485
	- Viewing Privileges	486
	- ORA-01031: Insufficient Privileges	487
	- Granting Privileges Syntax	488
	- Revoking Privileges Syntax	490
	- Accessing other Schemas	491
	- Accessing other Schemas with SQL Worksheet	493
	- Accessing other Schemas with Synonyms	494
	- ORA-00955: Name is already used	499
	- Synonym SQL Syntax	500
	- Dropping Synonyms	501
	- Dropping Synonyms Syntax	502
	- Public Synonyms	503
<b>Fifteen</b>	<b>Virtual Columns</b>	<b>504</b>
	- Creating Virtual Columns with new Table	506
	- Adding Virtual Columns to Existing Table	507
	- Using Virtual Columns	510
	- Using Virtual Columns in SQLcl	511
	- Using Virtual Columns with Functions	513
	- ORA-54002: only pure functions can be specified	514
	- ORA-54012: virtual column is referenced in a column	515
	- ORA-54015: Duplicate column expression specified	516
	- ORA-54013: INSERT disallowed on virtual columns	517
	- ORA-54017: UPDATE disallowed on virtual columns	518
<b>Sixteen</b>	<b>Invisible Columns</b>	<b>519</b>
	- ORA-54034: column to be dropped or modified is used	524
<b>Seventeen</b>	<b>Oracle Directories</b>	<b>525</b>
	- Introduction	526
	- Creating Directories	527
	- Dropping Directories	532





## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
<b>Eighteen</b>	<b>External Tables</b>	<b>534</b>
	- Introduction	535
	- Creating using SQL Developer	536
	- Columns	538
	- External Table Properties	541
	- Access Parameters	545
	- Access Parameters (Load When)	546
	- Using Load When with Position	549
	- Access Parameters (Audit Tables)	550
	- Access Parameters (Logfile)	553
	- Access Parameters (Badfile)	556
	- Access Parameters (Discardfile)	557
	- Access Parameters (Skip)	558
	- Access Parameters (terminated by)	559
	- Access Parameters (missing field values)	560
	- Access Parameters (Reject Rows With all Null Fields)	561
	- Access Parameters (Tab Separated)	562
	- Access Parameters (Trimming values)	563
	- Access Parameters (external file columns)	564
	- Access Parameters - Defining Fields	566
	- Location Specifier	567
	- Multiple Flat Files	568
	- Creating External Tables Syntax	569
	- Access Parameters for Fixed Length Files	572
	- Editing External Tables	576
	- Using Alter Table with External Tables	577
	- Using Oracle Datapump	579
	- Creating Oracle Datapump flat files	580
	- Accessing Oracle Datapump flat files	584
	- Overwriting the Flat File	585
	- Metadata for External Tables	586
	- <i>Exercise Seven</i>	588
<b>Nineteen</b>	<b>Importing External Data</b>	<b>591</b>
	- Introduction	592
	- Beginning the Import	593
	- Step 1 Using CSV	595
	- Step 1 Using Excel	597
	- Step 1	598
	- Step 2	599
	- Step 2 (Insert Script)	600
	- Step 3 (Choose Columns)	602
	- Step 4 (Choose Definitions)	603
	- Step 5 (Finish)	604
	- Step 2 (Staging External Table)	607
	- Step 3 (Column Definition)	608
	- Step 4 (Options)	609
	- Step 5 (Finish)	610



## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
	- Step 2 (SQL Loader Utility)	612
	- Cutting and pasting xls files	613
<b>Twenty</b>	<b>Export the Schema</b>	<b>615</b>
	- Introduction	616
	- Object by Object	617
	- Exporting DDL and DML	618
	- Export Wizard (Step One)	620
	- Pretty Print	621
	- Show Schema / Grants	622
	- Byte	623
	- Terminator	624
	- Force to Views	625
	- Drops	626
	- Cascade Drops	627
	- Storage	628
	- Dependents	629
	- Compatible	631
	- DDL and/or DML	632
	- Export Data	633
	- Exporting to CSV	634
	- Exporting to Delimited	635
	- Exporting to Excel	636
	- Exporting to Excel.xml	637
	- Exporting to Fixed	638
	- Exporting to HTML	639
	- Exporting to Insert	641
	- Exporting to Json	642
	- Exporting to Loader	643
	- Exporting to t2	644
	- Exporting to Text	645
	- Exporting to XML	646
	- Destination	647
	- Specify Data (Step 2)	649
	- Export Summary (Step 3)	653
	- Selection in the Connections Pane	654
<b>Twenty One</b>	<b>SQL Developer Reports</b>	<b>656</b>
	- Introduction	657
	- User Defined Reports	659
	- Creating User Defined Reports	660
	- New Report	661
	- Master Report	662
	- Table	664
	- Editing / Advanced Options	667
	- SQL Query	668
	- Binds	669
	- Refreshing	673
	- Child Reports	675





## Using SQL with SQL Developer 18.4 Part II

Section	Title	Page
	- Multiple Child Reports	681
	- Drill Down	683
	- Styles	687
	- Chart	688
	- Bar	690
	- Properties	692
	- Pie	693
	- Line	695
	- Area	697
	- Combination	699
	- Scatter	700
	- Bubble	702
	- Stock (Candlestick graph)	703
	- Polar	705
	- Pareto	707
	- Funnel	709
	- 3D	710
	- Gauge	711
	- Code	713
	- Script	716
	- PL/SQL DBMS Output	718
	- Child Reports with Charts	720
	- Refresh	724
	- New Folder	725
<b>Twenty Two</b>	<b>SQL Developer Help Facility</b>	<b>726</b>
	- Introduction	727
	- Search and Table of Contents	728
	- Start Page	729
	- Data Miner	730
	- Check for Updates	731
	- About	732
	- <i>Exercise Eight</i>	733

### Appendices

**Appendix S1 – SQL Functions**

**Appendix S2 – SQL Number Formats**

**Appendix S3 – SQL Date Formats**

### Delegate Questionnaire