

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
<b>One</b>	<b>Introduction to Java</b>	1
	– Usage of Java	2
	– Structure of Java	4
	– Flexibility of Java Programming	5
	– Using the Eclipse software	6
	– Swing and AWT in Java	7
<b>Two</b>	<b>Running Java in Eclipse</b>	10
	– Introduction	11
	– Using Eclipse	12
	– Workspace Launcher	14
	– Workspace in Eclipse	19
	– Projects in Eclipse	20
	– Opening Projects in Eclipse	21
	– Importing Projects in Eclipse	22
	– Running Projects in Eclipse	27
	– Viewing results in the Eclipse Console	28
	– The Eclipse Console properties	30
	<b>Three</b>	<b>Setting up a machine to use Eclipse</b>
– Introduction		32
– Downloading the JDK		33
– Installing the Java Developer Kit		36
– Downloading Eclipse		40
– Installing Eclipse		42
<b>Four</b>	<b>First Steps in Eclipse</b>	44
	– Naming Java modules	45
	– Commenting in Java Programs	46
	– Editing Java in Eclipse	47
	– The SRC folder	49
	– Editing the code in the SRC	51
	– Examining the Workspace Folder	53
<b>Five</b>	<b>Creating Projects and Classes in Eclipse</b>	56
	– Introduction	57
	– Creating Projects	58
	– Importing Projects	62
	– Importing Projects from other Folders	63
	– Importing Archives into Workspace	66
	– Exporting a Project	69
	– Deleting Projects	73
	– Creating Packages	74
	– Creating Classes	77
	– Exporting Classes into Projects	82
	– Importing Classes into Projects	83
	– Copying Classes	86
– Incorporating Existing Classes	88	
<b>Six</b>	<b>Using the Java Editor in Eclipse</b>	89
	– Introduction	90
	– Folding	92

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– Line Numbers	94
	– Creating Bookmarks	95
	– Using Bookmarks	96
	– Using Tasks	100
	– Correcting Errors	105
	– Error Checking	106
	– Colour Coding	108
	– Hints while typing	109
	– Bracket Location	111
<b>Seven</b>	<b>Dialog Boxes</b>	112
	– Using Dialog Boxes	113
	– Using Message Dialogs	115
	– Using ImageIcons with Message Dialogs	120
	– Using Confirm Dialogs	123
	– Using Input Dialogs	128
	– Using Input Dialogs with Icons and Lists	130
	– Using Option Dialogs	132
	– Making a Beep in Java	138
	– <i>Exercise One</i>	139
<b>Eight</b>	<b>Dimensions</b>	144
	– The Dimension Datatype	145
	– Examples of Using Dimensions	146
	– Methods for Dimensions	147
	– <code>getScreenSize()</code>	149
<b>Nine</b>	<b>JFrame</b>	150
	– Using JFrame	151
	– <code>setDefaultCloseOperation()</code>	152
	– <code>setVisible()</code>	153
	– Exiting JFrames	154
	– <code>setResizable()</code>	155
	– <code>setLocation()</code>	156
	– <code>setBounds()</code>	158
	– Centering JFrames	159
	– JFrame Example	160
	– <code>setLocationRelativeTo()</code> for Centreing	161
	– <code>dispose()</code>	162
	– Using <code>setIconImage()</code>	163
	– Using Constructors in Java Swing	164
	– <code>serialVersionUID</code>	165
	– Creating a Constructor Method	166
	– JFrame Constructor	168
	– <code>@SuppressWarnings</code>	169
	– <i>Exercise Two</i>	174
<b>Ten</b>	<b>JComponent</b>	176
	– Introduction	177
	– Methods to Change Appearance	178
	– Methods to Process Components	182
<b>Eleven</b>	<b>Colour and Fonts</b>	186

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– Using Color	187
	– Using Color with JFrame	189
	– Using Font	190
<b>Twelve</b>	<b>JLabel</b>	196
	– Using JLabel	197
	– getContentPane().add()	198
	– Creating a message in JLabel	200
	– Using HTML with JLabel	201
	– Changing the position in a JLabel	204
	– Adding an Icon to a JLabel	206
	– Changing a JLabel’s Colour and Font	208
	– Icon only JLabel	210
	– setVerticalAlignment()	211
	– pack()	212
	– <i>Exercise Three</i>	214
<b>Thirteen</b>	<b>Borders</b>	217
	– BorderFactory	218
	– createEmptyBorder()	221
	– createLineBorder()	222
	– createRaisedBevelBorder()	224
	– createRaisedSoftBevelBorder()	225
	– createBevelBorder()	226
	– createDashedBorder()	228
	– createStrokeBorder()	231
	– createEtchedBorder()	235
	– createMatteBorder()	237
	– createTitledBorder()	239
	– Nested createTitledBorder()	249
	– Fonts with createTitledBorder()	250
	– createCompoundBorder()	251
	– <i>Exercise Four</i>	254
<b>Fourteen</b>	<b>Mid-Level Containers</b>	258
	– Containers	259
	– JPanels	261
	– JScrollPanels	263
	– Scroll Bar policy	266
	– <i>Exercise Five</i>	268
<b>Fifteen</b>	<b>Absolute Layouts</b>	270
	– Introduction	271
	– setBounds()	272
	– <i>Exercise Six</i>	276
<b>Sixteen</b>	<b>Layouts</b>	277
	– JPanel and Layouts	278
	– FlowLayout	280
	– Some FlowLayout Methods	284
	– GridLayout	286
	– Some GridLayout Methods	291
	– BorderLayout	292

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– Defining BorderLayouts since Java 1.4	297
	– Some BorderLayout Methods	299
	– <i>Exercise Seven</i>	300
	– BorderLayout	303
	– SpringLayout	306
	– putConstraint()	310
<b>Seventeen</b>	<b>Box</b>	314
	– Introduction	315
	– createRigidArea()	317
	– createVerticalStrut()	318
	– createHorizontalStrut()	319
	– createGlue()	320
	– createHorizontalGlue() / createVerticalGlue()	322
	– Using Box.Filler	323
	– Using Box as a Container	326
	– <i>Exercise Eight</i>	328
<b>Eighteen</b>	<b>JButton</b>	330
	– Introduction	331
	– Example	332
	– Using Insets to re-size JButtons	334
	– Using Icons with JButtons	336
	– Using AbstractButton with JButtons	337
	– Using SwingConstants with JButtons	341
	– Some Methods for JButtons	342
	– Using HTML with JButton	345
	– Advanced Icons with JButtons	346
	– Using Rollover with JButtons	348
	– JButtons and ToolTips	349
	– BasicArrowButton	350
<b>Nineteen</b>	Event Handling with Listeners	352
	– Listening for Events	353
<b>Twenty</b>	Private Event Listeners for JButtons	358
	– Introduction	359
	– java.awt.event.*	360
	– Example of Private Listener	361
	– ActionEvent	363
	– Recording the Event	364
	– Which Component fired the Listener	365
	– Using getActionCommand()	366
	– getValueIsAdjusting()	367
	– getWhen()	368
	– <i>Exercise Nine</i>	369
<b>Twenty One</b>	Public Event Listeners	371
	– Introduction	372
	– Example of Public Listener	373
<b>Twenty Two</b>	Implemented Event Listeners	375
	– Introduction	376
	– Example of Implemented Listener	377

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
<b>Twenty Three</b>	Listener Events	379
	– Introduction	380
	– Multiple Events with Listeners	381
	– <i>Exercise Ten</i>	384
<b>Twenty Four</b>	JTextComponent	386
	– Methods in JTextComponent	387
<b>Twenty Five</b>	Input Components	388
	– Introduction	389
	– JTextField	390
	– JTextField Example	391
	– JTextField Initialisation	393
	– Other Methods for JTextField	394
	– Processing JTextField using getText()	396
	– Listeners for JTextField	397
	– FocusListener with JTextField	398
	– ActionListener with JTextField	400
	– JPasswordField	403
	– JPasswordField Example	404
	– setEchoChar()	406
	– JTextArea	407
	– JTextArea Example	408
	– JTextArea and setFocusable()	410
	– Wrapping text in JTextArea	412
	– Listeners with JTextArea	415
	– Some methods for JTextArea	416
	– JFormattedTextField	419
	– Initialising JFormattedTextField	420
	– Populating JFormattedTextField	423
	– Using setValue()	425
	– Listeners with JFormattedTextField	426
	– Using MaskFormatter	427
	– Using setFocusLostBehavior	429
	– requestFocusInWindow()	431
	– <i>Exercise Eleven</i>	432
<b>Twenty Six</b>	GroupLayout	434
	– Introduction	435
	– Sequential and Parallel Groups	436
	– addGap()	439
	– setAutoCreateGaps()	440
	– Changing Direction of Components	441
	– Chained Invocation or Method Chaining	442
	– Adding further Groups with addGroup()	443
	– Controlling Resizing with addComponent()	448
	– Using LinkSize to standardise sizing	451
	– Alignment	452
<b>Twenty Seven</b>	Selection Components	453
	– JComboBox	454
	– Using addItem() with JComboBox	457

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	- selectedItem() with JComboBox	458
	- ComboBoxModel with JComboBox	459
	- Some methods for JComboBox	460
	- ItemListener with JComboBox	462
	- JCheckBox	463
	- JCheckBox Example	464
	- Initialising JCheckBox	465
	- Using HTML with JCheckBox	466
	- Images with JCheckBox	467
	- ItemListener with JCheckBox	468
	- JToggleButton	470
	- Initialising JToggleButton	471
	- Listeners with JToggleButtons	472
	- JRadioButton	473
	- JRadioButton Example	475
	- Initialising JRadionButtons	477
	- Icons with JRadioButtons	478
	- ActionListener with JRadioButton	480
	- Using setActionCommand()	481
	- setActionCommand() Example	482
	- Using Enumeration	484
	- Using AbstractButton	487
	- <i>Exercise Twelve</i>	488
	- JList	493
	- JList Example	494
	- setLayoutOrientation() with JList	496
	- setSelectionMode() with JList	498
	- setPrototypeCellValue() with JList	500
	- setFixedCellWidth with JList	501
	- DefaultListModel with JList	502
	- DefaultListModel Example	503
	- Icons with DefaultListModels	505
	- Using Vectors	507
	- Methods for Vectors	508
	- getSelectedIndices() in JList	513
	- JList Listeners	514
	- ListSelectionListener	515
	- Using getSelectedValuesList()	516
	- ListDataListener	517
	- ListDataListener Example	518
	- <i>Exercise Thirteen</i>	520
	- JSpinner	523
	- SpinnerNumberModel	524
	- SpinnerNumberModel Example	525
	- Methods for SpinnerNumberModel	526
	- Change Orientation of JSpinner	527
	- ChangeListener with JSpinner	528
	- SpinnerListModel	529

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	- SpinnerListModel Example	530
	- setPreferredSize()	531
	- ArrayLists with SpinnerListModel	533
	- SpinnerDateModel	534
	- SpinnerDateModel Example	536
	- DateEditor with SpinnerDateModel	538
	- JSlider	543
	- Initialising JSlider	544
	- ChangeListener with JSlider	546
	- Placing Numbers on the JSlider	547
	- Placing ticking on the JSlider	548
	- setMinorTickSpacing() with JSlider	549
	- Customising the JSlider ticks	550
	- Some more JSlider methods	551
	- JSeparator	553
	- JSeparator Example	554
	- Using Box with JSeparator Example	556
	- <i>Exercise Fourteen</i>	558
<b>Twenty Eight</b>	JMenus and JPopupMenu	561
	- Introduction	562
	- JMenuBar	563
	- JMenuBar Example	565
	- JMenu	566
	- JMenu Example	567
	- JMenuBar and JTextField	568
	- Mnemonic with JMenus	569
	- MenuListener	570
	- MenuListener Example	571
	- JMenuItem	573
	- JMenuItem Example	574
	- JMenuItem with Images	575
	- Mnemonic with JMenuItem	576
	- Accelerator with JMenuItem	577
	- Listeners with JMenuItem	579
	- JMenuItem and MenuKeyListener	580
	- Sub-Menus in JMenus	581
	- JCheckBoxMenuItem in JMenus	582
	- JCheckBoxMenuItem with Images	584
	- JCheckBoxMenuItem with ItemListner	585
	- JRadioButtonMenuItem in JMenus	586
	- JRadioButtonMenuItem Example	587
	- JRadioButtonMenuItem with JMenu Example	588
	- JRadioButtonMenuItem with Images	589
	- JRadioButtonMenuItem and Listeners	590
	- Using getActionCommand() with JRadioButton	591
	- Using Enumeration	592
	- JPopupMenu	593
	- JPopupMenu with MouseListener	594

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– MouseListener Examples	595
	– Event.isPopupTrigger()	597
	– PopupMenuListener	598
	– JToolBar	599
	– JToolBar Example	601
	– JToolBar and setFloatable()	603
	– JToolBar and Listeners	604
	– JToolBar and Icons	605
	– JToolBar Orientation	606
	– JToolBar with JTextFields	607
	– addSeparator() with JToolBar	609
	– <i>Exercise Fifteen</i>	610
<b>Twenty Nine</b>	Applets	613
	– Introduction to using Applets within Eclipse	614
	– Using Appletviewer in Eclipse	615
	– Appletviewer Options	617
	– Converting a basic Application to an Applet	618
	– InvocationTargetException and Images	624
	– Using URL with Images	625
	– Dialog Boxes converted to JApplet	626
	– JInternalFrames (with LAF) converted to JApplet	627
	– JMenus converted to JApplet	628
	– JTrees converted to JApplet	629
	– JColorChooser converted to JApplet	630
	– Choosing Applet or Application in Eclipse	631
	– Using start(), stop(), paint(), init() and destroy()	637
	– Passing Parameters to JApplet in Eclipse	640
	– Using getParameter() with JApplet	643
	– Embedding Java in HTML	645
	– Using the <applet> tag in HTML	646
	– Using showStatus() (Short status strings)	648
	– Passing Parameters to the Applet	649
	– Reading Parameters in the Applet	650
	– Using the <object> tag in HTML	651
	– Accessing System Properties in Applets	652
	– <i>Exercise Sixteen</i>	654
<b>Thirty</b>	Look and Feel (LAF)	657
	– Using setLookandFeel()	658
	– Standard LAF Styles	660
	– javax.swing.plaf.metal.MetalLookAndFeel	662
	– javax.swing.plaf.nimbus.NimbusLookAndFeel	663
	– com.sun.java.swing.plaf.motif.MotifLookAndFeel	664
	– com.sun.java.swing.plaf.windows.WindowsLookAndFeel	665
	– com.sun.java.swing.plaf.windows.WindowsClassicLookAndFeel	666
	– Defaulting the LAF permanently in Java	667
	– Using Third Party LAFs	668
	– Installing the LAF in the Operating System	669
	– Identifying the Look and Feel Class in the Jar file	670



## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– Using the third party LAF in Java	671
	– <i>Exercise Seventeen</i>	672
<b>Thirty One</b>	GridBagLayouts	673
	– Introduction	674
	– GridBagConstraints	675
	– GridBagConstraints Example	678
	– gridx and gridy	683
	– gridx and gridy example	684
	– gridwidth and gridheight	687
	– gridwidth and gridheight example	688
	– GridBagConstraints.REMAINDER	691
	– fill	692
	– fill example	693
	– anchor	694
	– anchor examples	695
	– insets	697
	– insets example	698
	– ipadx and ipady	699
	– ipadx and ipady example	700
	– weightx and weighty	701
	– Final example	705
<b>Thirty Two</b>	JTable	711
	– Introduction	712
	– JTable Example	713
	– Default Settings	716
	– setPreferredSize()	717
	– java.lang.ArrayIndexOutOfBoundsException	718
	– Problems with the TableColumnModel	719
	– Adding to a JPanel	720
	– Using DefaultTableModel()	721
	– Using addColumn()	722
	– setAutoCreateColumnsFromModel()	724
	– Changing the Width of Columns	725
	– setResizable()	727
	– Some Methods for JTable	728
	– Moving Columns Programmatically	729
	– Moving Rows Programmatically	730
	– Setting the Selection Mode	731
	– isCellEditable()	734
	– Accessing Cells	736
	– Determining the Current Cell	737
	– ListSelectionListener	738
	– ListSelectionListener Example	739
	– TableModelListener	743
	– TableModelListener Example	745
	– <i>Exercise Eighteen</i>	748
<b>Thirty Three</b>	Mouse Double Click	751
	– Introduction	752

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– Double Click Example	753
<b>Thirty Four</b>	JTree	755
	– Introduction	756
	– JTree Example	757
	– Populating a JTree (Top to Bottom)	759
	– Expand()	762
	– Populating a JTree (Bottom to Top)	763
	– Populating a JTree with more levels	764
	– TreeExpansionListener	766
	– getLastSelectedPathComponent()	767
	– TreeSelectionListener	768
	– Customising the JTree	769
<b>Thirty Five</b>	CardLayouts	771
	– Introduction	772
	– CardLayout Example	773
	– <i>Exercise Nineteen</i>	777
<b>Thirty Six</b>	More Containers	782
	– Introduction	783
	– JSplitPane	784
	– setDividerLocation() with JSplitPane	788
	– Using setResizeWeight with JSplitPane	789
	– JSplitPanes within JSplitPanes	790
	– JTabbedPane	792
	– JTabbedPane Example	794
	– Using addTab() with JTabbedPane	796
	– Inserting Tabs into a JTabbedPane	799
	– Removing Tabs in JTabbedPane	800
	– Positioning the Tabs	801
	– setTabLayoutPolicy for JTabbedPane	804
	– setMnemonic() with Tabs	806
	– Some Methods for JTabbedPane	807
	– ChangeListener with JTabbedPane	811
<b>Thirty Seven</b>	More Frames	813
	– JInternalFrame	814
	– Using LAF with JInternalFrame	816
	– JInternalFrame Behaviour	817
	– Some JInternalFrame Methods	820
	– Adding Components to JInternalFrame	821
	– setJMenuBar() for JInternalFrame	822
	– InternalFrameListener	823
	– isVisible() with JInternalFrame	825
	– JLayeredPane	826
	– JLayeredPane Example	830
	– Layouts in JLayeredPane	832
	– More methods for JLayeredPane	833
	– JDesktopPane	836
	– showInternalMessageDialog	837
	– showInternalConfirmDialog	840

## Java 1.8 Swing with Eclipse Mars Index

Section	Title	Page
	– <i>Exercise Twenty</i>	845
<b>Thirty Eight</b>	JWindow	847
	– Using JWindow	848
<b>Thirty Nine</b>	Swing Timers and Progress Bars	850
	– Introduction	851
	– Methods for Swing Timers	854
	– Timers and Coalesce	856
	– JProgressBar	857
	– JProgressBar Example	858
	– JProgressBar Methods	860
	– Displaying text in the JProgressBar	861
	– JProgressBar Orientation	863
	– JProgressBar and ChangeListener	864
	– Using Threads to create a Splash screen	865
	– Cursors	867
	– Scope of Cursors	870
	– Creating a Custom Cursor	871
	<b>Forty</b>	System Tray
– Introduction		873
– System Tray Example		875
<b>Forty One</b>	Java Built-in Choosers	878
	– JColorChooser	879
	– ChangeListener	885
	– setPreviewPanel()	888
	– Using setColor()	889
	– Using AbstractColorChooserPanel	890
	– JFileChooser	892
	– setFileSelectionMode()	897
	– setControlButtonsAreShown()	899
	– FileFilter	900
	– setAcceptAllFileFilterUsed()	902
	– addChoosableFileFilter	903
	– Some Methods for JFileChooser	904
	– ActionListener with JFileChooser	905
	– <i>Exercise Twenty One</i>	908