

## Oracle 18c PL/SQL Index

<b>One</b>	<b>PLSQL Introduction</b>	2
	– Procedural Language for SQL	3
<b>Two</b>	<b>PLSQL Structure</b>	5
	– Basic Structure of PLSQL	6
	– The Declaration Section in PLSQL	7
	– Local Variables in PLSQL	8
	– Naming Local Variables in PLSQL	10
	– Quoted Identifier Variables	12
	– Variable Datatypes (varchar2)	16
	– Variable Datatypes (numbers)	17
	– Variable Datatypes (number)	18
	– Variable Datatypes (decimal)	21
	– Variable Datatypes (integer)	22
	– Variable Datatypes (pls_integer)	23
	– Variable Datatypes (binary_integer)	24
	– Variable Datatypes (natural)	25
	– Variable Datatypes (naturaln)	26
	– Variable Datatypes (positive)	27
	– Variable Datatypes (positiven)	28
	– Variable Datatypes (signtype)	29
	– Variable Datatypes (simple_integer)	30
	– Variable Datatypes (boolean)	31
	– Variable Datatypes - Constants	33
	– Running PLSQL in SQL*Plus	34
	– Compiling PLSQL in SQL*Plus	36
	– Common Compilation Problems	40
	– Commenting PLSQL	42
	– Documenting PLSQL	44
<b>Three</b>	<b>The SQL*Plus Interface</b>	45
	– Introduction	46
	– Anatomy of SQL*Plus	51
	– ORA-01017: invalid username/password; logon denied	52
	– ORA-12154: TNS:could not resolve the connect identifier	53
	– Exiting an SQL*Plus Session	54
	– Using the DOS Window	55
	– Copying and Pasting	56
	– Using the Function Keys	59
	– Using the Line Editor in SQL*Plus	60
	– Using the Editor in SQL*Plus	61
	– SQL*Plus Environment Settings	62
	– File Manipulation in SQL*Plus	63
	– Spooling Results in SQL*Plus	64
	– Changing Passwords / Clearing the Screen in SQL	65
	– File Manipulation in SQL*Plus	63
	– <i>Exercise One</i>	66
<b>Four</b>	<b>Performing Simple DML in PLSQL</b>	69
	– Introduction	70
	– Using Local Variables	71
	– Declaring Variables Using %Type	74
	– Using Substitution Values in PLSQL	78
	– <i>Exercise Two</i>	81
<b>Five</b>	<b>Performing Conditional Statements in PLSQL</b>	83
	– If .. Then Statements	84
	– If .. Then Else Statements	87
	– If .. Then Elsif Statements	89
	– Combining Tests	90

## Oracle 18c PL/SQL Index

	- Nesting Conditions	91
	- Boolean Conditions	92
<b>Six</b>	<b>Communicating from PLSQL</b>	93
	- Messaging Via PLSQL	94
	- <i>Exercise Three</i>	99
<b>Seven</b>	<b>Exception Handling</b>	101
	- Introduction	102
	- The When Clause	105
	- The When Others Clause	106
	- Raise_Application_Error	110
	- Oracle Defined Exceptions	114
	- Access_into_Null (ORA-06530)	115
	- Case_Not_Found (ORA-06592 )	117
	- Collection_Is_Null (ORA-06531)	118
	- Cursor_Already_Open (ORA-06511)	120
	- Dup_Val_On_Index (ORA-00001)	121
	- Invalid_Cursor (ORA-01001)	122
	- Invalid_Number (ORA-01722)	123
	- Login_Denied (ORA-01017)	124
	- No_Data_Found (ORA-01403)	126
	- Not_Logged_On (ORA-01012)	127
	- Program_Error (ORA-06501)	128
	- Rowtype_Mismatch (ORA-06504)	129
	- Self_is_Null (ORA-30625)	131
	- Storage_Error (ORA-06500)	134
	- Subscript_Beyond_Count (ORA-06533)	135
	- Subscript_outside_limit (ORA-06532)	136
	- Sys_Invalid_Rowid (ORA-01410)	138
	- Timeout_On_Resource (ORA-00051)	139
	- Too_Many_Rows (ORA-01422)	140
	- Value_Error (ORA-06502)	141
	- Zero_Divide (ORA-01476)	142
	- Raising User Defined Exceptions	143
	- Pragma Exceptions in PLSQL	146
	- Grouping Exceptions in PLSQL	150
	- Alternative Way to Handle SQL Errors in PLSQL	151
	- Handling SQL Errors in PLSQL	152
	- Advanced SQLErrm	154
	- <i>Exercise Four</i>	155
<b>Eight</b>	<b>Implicit Cursors</b>	158
	- Using Implicit Cursors in PLSQL	159
	- Using Implicit Cursors to Select Records	161
	- Exceptions in PLSQL	162
	- Attributes of Implicit Cursors	164
	- SQL%FOUND	165
	- SQL%NOTFOUND	166
	- SQL%ROWCOUNT	167
<b>Nine</b>	<b>Sub-Blocking in PLSQL</b>	168
	- Introduction	169
	- Defining	170
	- Re-Raising Exceptions in PLSQL	172
	- <i>Exercise Five</i>	175
<b>Ten</b>	<b>Explicit Cursors</b>	180
	- Using Explicit Cursors in PLSQL	181
	- How Explicit Cursors Work	183
	- Attributes of an Explicit Cursor	186
	- Passing Parameters to Explicit Cursors	189

## Oracle 18c PL/SQL Index

	– Explicit Cursors Versus Implicit Cursors	192
	– <i>Exercise Six</i>	193
<b>Eleven</b>	<b>Using Sequences in PLSQL 18c</b>	196
<b>Twelve</b>	<b>Loop Processing</b>	199
	– Iterative Processing in PLSQL	200
	– Basic Looping in PLSQL	201
	– While Looping in PLSQL	205
	– For Looping in PLSQL	208
	– Using Dates in For Loops in PLSQL	212
	– Using Characters in For Loops in PLSQL	213
	– Implicit Cursor Looping in PLSQL	214
	– Explicit Cursor Looping in PLSQL	217
	– Using other Loops with Explicit Cursors	219
	– Loop Labels in PLSQL	222
	– Loop Continue and Continue When	224
	– <i>Exercise Seven</i>	228
<b>Thirteen</b>	<b>PL/SQL Database Objects</b>	234
	– PLSQL Objects	235
	– Compiling PLSQL Objects	236
	– Metadata For PLSQL Objects	237
	– Re-Compiling PLSQL Objects	238
	– Dropping PLSQL Objects	240
	– Passing Parameters in PLSQL	241
	– Passing Parameters in PLSQL using Positional Notation	242
	– Passing Parameters in PLSQL using Named Notation	244
	– Using Mixed Notation in SQL	245
	– Metadata (User Source)	247
	– Describing PLSQL Objects in SQL*Plus	248
<b>Fourteen</b>	<b>Programmer Defined Functions</b>	249
	– Syntax of Functions in Oracle	250
	– Suggested Naming Convention of Functions in Oracle	253
	– Function Example in PLSQL	254
	– Running Functions in SQL and PLSQL	256
	– Running Functions in Oracle	257
	– <i>Exercise Eight</i>	258
<b>Fifteen</b>	<b>Programmer Defined Procedures</b>	267
	– Syntax of Procedures in Oracle	268
	– Example of Procedures in Oracle	270
	– Executing Procedures in Oracle within SQL Plus	271
	– Executing Procedures in Oracle within PLSQL	272
<b>Sixteen</b>	<b>Sub-programming Techniques</b>	273
	– Introduction	274
	– Example	275
	– <i>Exercise Nine</i>	277
<b>Seventeen</b>	<b>Autonomous Transactions in PLSQL</b>	280
	– Introduction	281
	– Example of an Autonomous Transaction	283
	– Rollback in Autonomous Transactions	291
	– Using Autonomous Transactions in Triggers	292
<b>Eighteen</b>	<b>Packaging Programmer Defined Programs</b>	295
	– Syntax of Packages in Oracle	296
	– Compiling of Packages in Oracle	301
	– Private Processes in PLSQL Packages	302
	– Executing Packages in Oracle	304

## Oracle 18c PL/SQL Index

		- Handling Exceptions in Packages in PLSQL	305
		- <i>Exercise Ten</i>	307
<b>Nineteen</b>	<b>DML Triggers in Oracle</b>		308
		- Oracle Triggers Introduction	309
		- DML Triggers Introduction	310
		- DML Triggers Timing Points	312
		- DML Triggers When Conditions	313
		- DML Triggers When Conditions Examples	314
		- DML Triggers Suggested Naming Conventions	316
		- Syntax of DML Triggers in PLSQL	318
		- Referencing Values within Triggers	319
		- Checking the Event which fired the DML Trigger	323
		- Using the Follows syntax to dictate Trigger Firing	325
		- <b>ORA-25022: cannot reference a trigger of different type</b>	329
		- Using the Disable syntax when Compiling Triggers	330
		- Enabling/Disabling Triggers in an Oracle Database	331
		- Metadata for Triggers (User_Triggers)	333
		- Mutating DML Triggers in Oracle	334
		- <i>Exercise Eleven</i>	338
<b>Twenty</b>	<b>Instead Of Triggers</b>		345
		- Introduction to Instead Of Triggers	346
		- Syntax of an Instead Of Trigger in Oracle	349
		- Example of an Instead Of Trigger	351
		- Deleting Records in Oracle using an Instead Of	359
		- Using Follows in an Instead Of Trigger	360
<b>Twenty One</b>	<b>Compound Triggers</b>		361
		- Introduction to Compound Triggers	362
		- Syntax for Table Compound Triggers	364
		- Declaration Section	365
		- Timing Points	366
		- Before Statement	367
		- Before Each Row	368
		- After Each Row	369
		- After Statement	370
		- Compound Triggers for Views	371
<b>Twenty Two</b>	<b>System Triggers</b>		372
		- Introduction to System Triggers	373
		- Syntax for System Triggers in Oracle	374
		- System Event Triggers	375
		- User Event Triggers	376
		- Schema Event Triggers	380
		- Database Level Attributes for System Triggers	386
		- <i>Exercise Twelve</i>	387
<b>Twenty Three</b>	<b>Rowtypes in PLSQL</b>		396
		- Using %Rowtype in PLSQL	397
		- Declaring a Variable as a %Rowtype	398
		- Referencing a %Rowtype Variable	399
		- Populating a Variable which is a %Rowtype	400
		- Passing a %Rowtype between Processes	403
		- Declaring a Cursor %Rowtype	405
		- Using Rowtype for DML	408

## Oracle 18c PL/SQL Index

<b>Twenty Four</b>	<b>Advanced Cursors in Oracle 18c</b>	410
	– For Update with Explicit Cursors	411
	– Where Current of Explicit Cursors	412
	– Example of Updating with Explicit Cursors	413
	– Using Nowait with Explicit Cursors	414
	– Using Skip Locked with Explicit Cursors	415
	– Using Wait with an Explicit Cursors	416
	– Using Rowid with Explicit Cursors	417
	– Using Returning Into in PLSQL	418
	– Ref Cursors in PLSQL	424
	– Strongly Typed Ref Cursors in PLSQL	425
	– Weakly Typed Ref Cursors in PLSQL	427
	– Sys_refcursor in PLSQL	428
	– Using Sys_Refcurors with SQL	430
<b>Twenty Five</b>	<b>Encrypting Code</b>	434
	– Introduction	435
	– Using Wrap.exe to encrypt processes in Oracle	436
	– Example of using Wrap.exe to encrypt processes	439
	– Using DBMS_DDL.CREATE_WRAPPED Function	441
<b>Twenty Six</b>	<b>Savepoints in PLSQL</b>	445
	– Using Savepoints in a PLSQL process	446
	– Example of Savepoints in PLSQL process	447
<b>Twenty Seven</b>	<b>Case Statements and Case Expressions</b>	448
	– Introduction	449
	– Using Searched Case in PLSQL	450
	– Using Case in PLSQL	451
	– Using Nested Case in PLSQL	452
	– Using Case Expressions in PLSQL	454
	– Using Nullif in PLSQL	458
	– Using Coalesce in PLSQL	459
	– <i>Exercise Thirteen</i>	460
<b>Twenty Eight</b>	<b>Object Orientated Programming</b>	465
	– Introduction	466
	– Definition of Objects	467
<b>Twenty Nine</b>	<b>Row Objects</b>	472
	– Introduction	473
	– Creating	474
	– Metadata	475
	– Data	476
	– Indexes	477
	– Views	479
	– Removing	480
	– OIDs	482
<b>Thirty</b>	<b>Column Objects</b>	490
	– Introduction	491
	– Describing	492
	– Inserting Into	495
	– Selecting from	497
	– Updating	503
	– Object Views	504
<b>Thirty One</b>	<b>Defining Processes within Objects</b>	506
	– Introduction	507
	– Defining Methods	508

## Oracle 18c PL/SQL Index

	- Member Methods	510
	- Map Methods	517
	- Member Methods	510
	- Order Methods	519
	- Constructor Methods	525
<b>Thirty Two</b>	<b>PLSQL Data Structures and Collections</b>	529
	- Programmer Defined Records	530
	- Nested Programmer Defined Records	534
	- Varrays in PLSQL	537
	- Using Varrays in Loops	540
	- Populating Varrays	541
	- Extending Varrays	542
	- Deleting from Varrays	544
	- Varrays and Tables	545
	- Multilevel Varrays	548
<b>Thirty Three</b>	<b>Associate Arrays (Index by Tables)</b>	551
	- Introducing Associate Arrays in PLSQL	552
	- Declaring PLSQL Tables	554
	- Populating PLSQL Tables	555
	- Using Count with PLSQL Tables	557
	- Using Delete with PLSQL Tables	558
	- Using Exists with PLSQL Tables	559
	- Using First/Last with PLSQL Tables	560
	- Using Next/Prior with PLSQL Tables	561
	- Using Varchar2 as an index with a PLSQL Table	562
	- Multi-level PLSQL Table	566
	- Nested PLSQL Table	567
	- Cardinality with Nested Table	570
	- Tidying Nested PLSQL Tables using Set	571
	- Nested PLSQL Tables using Set	572
	- Trimming Nested PLSQL Tables	574
	- Multi-Level Nested PLSQL Tables	576
<b>Thirty Four</b>	<b>Collection Comparisons</b>	577
	- Introduction	578
	- Check for Equality	579
	- Using IN with a Nested Table	582
	- Using Member Of with a Nested Table	583
	- Using Is Empty with a Nested Table	584
	- Multiset Union	585
	- Multiset Union Distinct	587
	- Multiset Intersect	588
	- Multiset Except	589
	- Submultiset	590
	- Not Submultiset	591
	- Not Submultiset Alternative	592
	- <i>Exercise Fourteen</i>	593
<b>Thirty Five</b>	<b>Bulk SQL in PLSQL</b>	596
	- Introduction to Bulk Processing	597
	- Bulk Binding in PLSQL	598
	- Bulk Binding in PLSQL using Associate Arrays	599
	- Bulk Binding in PLSQL using Varrays	600
	- Bulk Binding in PLSQL using Nested Tables	601



## Oracle 18c PL/SQL Index

	- Forall with Save Exceptions	603
	- Forall with SQL%BULKEXCEPTIONS	604
	- Forall with Indices Of	607
	- Forall with Values Of	609
	- Bulk Collect with Implicit Cursors (Varray)	610
	- Bulk Collect with Implicit Cursors (Associative Array)	611
	- Bulk Collect with Implicit Cursors (Nested Table)	612
	- Bulk Collect with Explicit Cursors	613
	- Bulk Collect and Returning in PLSQL	614
	- Problems with Bulk Processing in PLSQL	617
	- Bulk Processing and Limit in PLSQL	618
<b>Thirty Six</b>	<b>Invoker Rights in PLSQL</b>	619
	- The need to use Invoker Rights	620
	- Example of Invoker Rights	621
	- Using AUTHID in PLSQL	624
<b>Thirty Seven</b>	<b>Forward Declaration</b>	627
<b>Thirty Eight</b>	<b>Advanced Exceptions</b>	630
	- Handling Exceptions in Sub-Processes in PLSQL	631
	- Using Nocopy when Declaring Processes	633
	- Using DBMS_UTILITY Functions	637
	- DBMS_UTILITY.FORMAT_ERROR_STACK	638
	- DBMS_UTILITY.FORMAT_BACKTRACE	639
	- <i>Exercise Fifteen</i>	642
<b>Thirty Nine</b>	<b>Advanced Use of Packages</b>	647
	- Introduction	648
	- Defining Explicit Cursors in Packages	649
	- Flexible Explicit Cursors in Packages	653
	- Passing Parameters Using Packages	656
	- Using PLSQL Tables as Parameters	659
	- Global Variables using Packages	663
	- Public and Private Variables in Packages	669
<b>Forty</b>	<b>Overloading Modules in PLSQL</b>	671
	- Introduction	672
	- Example	673
	- User_Procedures	677
	- <i>Exercise Sixteen</i>	678
<b>Forty One</b>	<b>Regular Expressions in PLSQL (Regex)</b>	684
	- Introduction	685
	- Using REGEXP_LIKE in Where Clauses	686
	- Case Sensitivity	688
	- Line Anchors	689
	- Using the Dot (Any Character)	691
	- Counting Characters {Intervals}	694
	- Character Lists	698
	- Excluding Character Lists	702
	- Alternatives to Character Lists	703
	- Class Shorthands	706
	- Or Patterns (Alternatives)	707
	- Or Patterns with Character Lists	708
	- Using the Question Mark (Optional)	709
	- Using the Plus sign (Mandatory)	712
	- Using the Star sign (Optional)	714

## Oracle 18c PL/SQL Index

	- Backreferencing	715
	- POSIX	717
	- Using POSIX in Oracle – [:upper:] example	719
	- Using POSIX in Oracle – [:digit:] example	720
	- Using POSIX in Oracle – Character equivalents	721
	- Using Regexp_like in PLSQL	722
	- Using Regexp_count in PLSQL	725
	- Using Regexp_replace in PLSQL	729
	- Using Regexp_instr in PLSQL	731
	- Using Regexp_substr in PLSQL	733
	- Using Regular Expressions in Oracle	735
<b>Forty Two</b>	<b>Using Alternative Quoting Mechanism in PLSQL</b>	736
	- Introduction	737
	- Using Alternative Quoting Mechanism	738
	- <i>Exercise Seventeen</i>	739
<b>Forty Three</b>	<b>File I/O</b>	743
	- Reading and Writing Files in PLSQL	744
	- Accessing the File System using Directories	745
	- Creating Directories	746
	- Simple Write using UTL_FILE.PUT_LINE	748
	- Simple Read Using UTL_FILE.GET_LINE	749
	- Additional Functions in the UTL_FILE Package	750
	- Using UTL_FILE.PUTF in PLSQL	751
	- UTL_FILE Exceptions	753
	- Using UTL_FILE to perform Operating System Commands	755
	- Using UTL_FILE.Fcopy in PLSQL	756
	- Using UTL_FILE.Fgetattr in PLSQL	757
	- Using UTL_FILE.Fremove in PLSQL	758
	- Using UTL_FILE.Frename in PLSQL	759
<b>Forty Four</b>	<b>Working with Clobs and Blobs in PLSQL</b>	760
	- Introduction	761
	- Creation of Clobs in Tables	762
	- Using Clobs in PLSQL	763
	- Inserting Clobs into the Database using PLSQL	764
	- Writing Clobs to the Filesystem using PLSQL	768
	- Introduction to Blobs	769
	- Inserting Blobs into the Database using PLSQL	770
	- Writing Blobs into the Filesystem using PLSQL	771
	- DBMS_LOB exceptions	774
<b>Forty Five</b>	<b>DBMS_METADATA</b>	776
	- Generating Database Object Scripts	777
	- List of Object Types	778
	- Example of Using Dbms_Metadata	779
	- <i>Exercise Eighteen</i>	781
<b>Forty Six</b>	<b>Using Contexts</b>	783
	- Introduction	784
	- Attributes	785
	- User Defined	793
	- Creating Contexts	794
	- Creating a Package for a Context	795
	- Creating a Context	796



## Oracle 18c PL/SQL Index

	- Populating a Context	797
	- Accessing a Context	798
	- Listing Contents of a Context	799
	- Deleting Contents of a Context	801
	- Changing Context Behaviour	803
<b>Forty Seven</b>	<b>Subprogram Inlining</b>	804
	- Introduction	805
	- Pragma Inline	806
	- Example of Inlining	807
	- Inlining Usage	812
	- Conclusion	814
<b>Forty Eight</b>	<b>PLSQL Compiler</b>	815
	- Introduction	816
	- Warning Levels	817
	- Enabling/Disabling Warning Levels	818
	- Using the Alter Session	819
	- Using the Error option	822
	- Using the Dbms_warning Package	824
	- Using the Dbms_warning.get_category	825
	- Severe Category Errors	826
	- Informational Category Errors	828
	- Performance Category Errors	830
	- Using Dbms_warning.set_warning_setting_string	831
	- Using Dbms_warning.set_warning_setting_num	832
	- Using Dbms_warning.set_warning_setting_cat	833
	- User_plsql_object_settings	834
	- Re-Compiling with same Warning settings	836
	- PLSQL_Optimize_level	837
	- Optimize Levels	838
	- Timing Optimization with Dbms_utility.get_cpu_time	839
	- Optimize Levels in User_plsql_object_settings	845
	- Re-Compiling with same Optimize settings	846
	- High Level Optimization without Pragma Inline	847
<b>Forty Nine</b>	<b>Conditional Compilation in PLSQL</b>	849
	- Introduction	850
	- Dbms_preprocessor	852
	- Compiling using PLSQL_CCFLAGS	853
	- PLSQL_CCFLAGS in PLSQL	855
	- Using \$error Directive	863
	- Using Constants with CCFlags	865
	- \$\$PLSQL_CODE_TYPE	866
	- Oracle Compilation Modes	867
	- \$\$PLSQL_OPTIMIZE_LEVEL	868
	- \$\$PLSQL_LINE	869
	- \$\$PLSQL_UNIT	870
	- DBMS_DB_VERSION	871
	- Setting Session CCFlags	873
	- PLSQL_ccflags in user_plsql_object_settings	874
	- PLSQL_ccflags in Triggers	875
<b>Fifty</b>	<b>Timestamps in PLSQL</b>	877
	- Timestamps and Intervals in PLSQL	878
	- Timestamp Variables in PLSQL	879

## Oracle 18c PL/SQL Index

	-	Timestamp in PLSQL	881
	-	Populating Timestamps in PLSQL	884
	-	Using Extract in PLSQL	886
	-	Timestamp with Time Zone	887
	-	Timestamp Time Zone and Extract	890
	-	Using sys_extract_utc to Normalise Timestamps	891
	-	Using the To_Timestamp_TZ function	892
	-	Using the From_TZ function	894
	-	Timestamp with Local Time Zone	896
	-	Intervals	898
	-	Populating Year to Month Intervals	901
	-	Populating Day to Second Intervals	902
	-	Using Intervals in PLSQL	903
	-	Using Intervals with Extract in PLSQL	908
	-	Populating Intervals using Timestamps	909
	-	<i>Exercise Nineteen</i>	910
<b>Fifty One</b>		<b>Dynamic SQL</b>	914
	-	Introduction to Dynamic SQL	915
	-	Native Dynamic SQL (NDS) with Execute Immediate	916
	-	NDS Error Handling	919
	-	NDS with Inputs	920
	-	NDS with Output	922
	-	Dynamic Cursors and Sys_Refcursor	923
	-	NDS with Outputs	925
	-	Introduction to DBMS_SQL	926
	-	DBMS_SQL Example	927
	-	<i>Exercise Twenty</i>	928
 <b>Appendices :</b>			
		<b>Appendix PL1</b>	<b>- SQL Functions</b>
		<b>Appendix PL2</b>	<b>- SQL Line Editor Commands</b>
		<b>Appendix PL3</b>	<b>- SQL Environment Settings</b>
		<b>Appendix PL4</b>	<b>- SQL Column Formats</b>
		<b>Appendix PL5</b>	<b>- SQL Number Formats</b>
		<b>Appendix PL6</b>	<b>- SQL Date Formats</b>
		<b>Appendix PL7</b>	<b>- Compute Formats</b>
		<b>Appendix PL8</b>	<b>- System Exceptions</b>

Delegate Questionnaire